

OmniLT Controllers			Bar Code	
	21A00-1	Omni LT Controller	Omni LT controller with enclosure, RJ31X jack and cable, manuals, accessory kit.	87225700 034
	21A00-2	Omni LT Board Only	Omni LT controller board only	87225700 039
	21A00-11	Omni LT for Structured Wiring Enclosures	Omni LT controller on mounting plate for Leviton & "Open House" enclosures, powerline transceiver, RJ31X jack and cable, manuals, accessory kit, & wiring label for enclosure door.	87225700 035
OmniLT Packages			Bar Code	
	Promo9CS	Omni LT with Surface Console - Case of 6	Case of 6 Promo9	87225700 083
<i>NEW!</i>	Promo9SCS	Omni LT on Leviton Backplate with Surface Console - Case of 6	Case of 6 Promo9S	87225700 123
Omni II, OmniPro II Controllers			Bar Code	
	20A00-2	OmniPro II Controller	OmniPro II controller with enclosure, lock set w/ two keys, PIM, RJ31X cord and jack, manuals	87225700 023
	20A00-8	OmniPro II Controller for Structured Wiring Enclosures	OmniPro II controller on mounting plate for Leviton, OnQ, UStec and "Open House" type enclosures, PIM, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door.	87225700 029
	20A00-21	OmniPro II Board Only	OmniPro II controller board only	87225700 024
Omni II, OmniPro II Packages			Bar Code	
	Promo15	OmniPro II Kit with Flush Console and Hardwire Expander	OmniPro II controller with enclosure, lock set w/ two keys, Surface Mount Console, Flush Mount Kit, 10A06 expander, RC-80B thermostat, Indoor/Outdoor Temperature Sensor, UPB-PIM, RJ31X cord and jack, serial cables, manuals	87225700 080
	Promo15S	OmniPro II for Structured Wiring Kit with Flush Console and Hardwire Expander	OmniPro II controller on a Structured Wiring Backplate, Surface Mount Console, Flush Mount Kit, 10A06 expander, RC-80B thermostat, Indoor/Outdoor Temperature Sensor, UPB-PIM, RJ31X cord and jack, serial cables, manuals	87225700 075
	Promo16	OmniPro II Starter Kit	OmniPro II controller with enclosure, lock set w/ two keys, Surface Mount Console, Flush Mount Kit, 1105W Dealer Software, RC-80B thermostat, Indoor/Outdoor Temperature Sensor, UPB-PIM, RJ31X cord and jack, serial cables, manuals	87225700 081
Omni Family Consoles			Bar Code	

	33A00-1	Omni Console	LCD surface mount console, silk screen front, connector kit, instructions	87225700 065
	33A00-1CS	Omni Console - Case Lot of 12	Case of 12 33A00-1 Consoles	87225700 113
	33A00-3	Omni Console Flush Mount Kit	White Flush Mount Back Box, Mounting Brackets, Mounting Hardware, instructions	87225700 066
<i>NEW!</i>	33A00-4	Omni Console with built in Speaker/Microphone	LCD surface mount console with built in speaker/microphone, silk screen front, connector kit, instructions	87225700 164
<i>NEW!</i>	54A00-1	HAI Access Control Keypad		
OmniTouch Touchscreen				Bar Code
	32A00-1	HAI OmniTouch Touchscreen	Color touchscreen in flush mount enclosure, includes white, beige, and almond faceplates, connector kit, instructions	87225700 062
	32A01-BK	Black OmniTouch Faceplate	Black OmniTouch Faceplate	87225700 242
	32A07-1	OmniTouch trim ring	White trim ring - intended for retrofitting OmniTouch in place of 11A00-2 Flush Console. White, paintable to wall color	87225700 063
<i>NEW!</i>	32A09-1	OmniTouch Loader Kit	Programming cable and software utility used to load new firmware and screens into an OmniTouch touchscreen and support new features of updated controller firmware. OmniTouch touchscreens shipped from HAI after May 1 2005 will not need this kit.	8 72257 00064 1
Omni Family Accessories				Bar Code
	10A06-1	16 Zone Hardwire Expander	16 Zone expansion module w/ accessory kit (for Omni II and OmniPro II)	87225700 000
	10A07-1	4 Relay Module	4 relay module w/ mounting tape	87225700 001
	10A09-1	Dual X-10 Transmitter Kit	Two way X-10 transceiver, 25' phone line w/ connectors and adapter to use two X-10 transmitters for more signal strength	87225700 002
	10A09-2	Split X-10 Signal Kit	Two way X-10 transceiver, 25' phone line w/ connectors and adapter to separate receive and transmit function of transceivers	87225700 003
	10A09-7	Two way X-10 Transceiver Kit	Two Way X-10 protocol powerline carrier transceiver, 7 foot cable, instructions	87225700 004
	10A11-1	Two-Way Voice Module	Two way voice board, mounting material, instructions	87225700 005
	10A17-1	RS-232/RS-485 Serial Board	RS-232/485 serial board, accessories kit, 20 pin cable, instructions	87225700 006
	17A00-1	16 Zone/16 Output Expansion Enclosure	16 input/16 output expansion board with enclosure, lock set w/ two keys, accessories kit, instructions (for OmniPro II)	87225700 015
	17A00-8	16 Zone/16 Output Expansion Board Only	16 input/16 output expansion board only	87225700 016

	17A00-9	16 Zone/16 Output Expansion Board on a Universal Mounting Plate	16 input/16 output expansion board on a universal mounting plate with accessories kit, instructions for installation in Leviton, UStec, OnQ and "Open House" type structured wiring enclosures	87225700 017
	19A00-1	8 Relay Module	8 relay module w/ accessory kit - mounts in 17A00 Expansion Enclosure	87225700 021
	20A07-2	Universal Mounting Plate for Omni II/Omni Pro II	Mounting plate, hardware kit, & instructions. Used to mount Omni family controllers, expanders, and accessories in Leviton, OnQ, UStec, and "Open House" type structured wiring enclosures.	87225700 032
	21A05-2	Serial Cable connects Omni controllers to RS-232 port	7 foot cable, modular to DB-9F - connects Omni LT, Omni II, OmniPro II serial ports to computer RS-232 port for use with PC Access, WebLink and Media Center.	87225700 042
	28A00-1	Surface Speaker/Microphone Module	Speaker and microphone, surface mount enclosure, instructions	87225700 056
	28A00-2	Flush Speaker/Microphone Module	Speaker and microphone, flush mount enclosure, instructions	87225700 057
<i>NEW!</i>	31A00-7	Extended Range Indoor/Outdoor Temperature Sensor	Extended range indoor/outdoor temperature sensor from -40° to 120°F, accessory kit, instructions	87225700 238
<i>NEW!</i>	31A00-8	Extended Range Indoor/Outdoor Temperature & Humidity Sensor	Extended range indoor/outdoor temperature from -40° to 120° F and humidity sensor, accessory kit, instructions	87225700 239
<i>NEW!</i>	36A05-4	Serial Connectivity Adapter Kit	Modular to DB-9M adapter and a 7-ft 4-conductor modular cable used to connect OmniLT, Omni II, and OmniPro II modular serial ports to DB-9F serial port on devices such as Lutron RadioRA, NuVo Concerto and Essentia (OmniPro II only), Russound CAV6.6 and CAM (OmniPro II only), and similar devices.	8 72257 00243 0
Omni LT Accessories				Bar Code
	22A00-1	Omni LT Expansion Module	16 zones plus 8 voltage output expansion module w/ accessory kit	87225700 046
	21A06-1	Enclosure Lock and 2 Keys for Omni LT	Lock for Omni LT enclosure, two keys	87225700 043
	21A07-2	Mounting Plate for Omni LT	Mounting plate, hardware kit, & instructions. Used to mount Omni LT controllers in Leviton and "Open House" type structured wiring enclosures.	87225700 044
<i>NEW!</i>	36A00-1CS	PIM and Cable - case of 12	Case of 12 36A00-1 Powerline Interface Module UPB	87225700 192

Omni Family Upgrade Chips			Bar Code	
	21A03-1UPG	Omni LT Upgrade Chip Version X.X	EPROM chip upgrade with installation instructions	87225700 041
	20A04-1UPG	Omni II Chip Upgrade Version X.X	EPROM chip upgrade with installation instructions	87225700 030
	20A04-2UPG	OmniPro II Chip Upgrade Version X.X	EPROM chip upgrade with installation instructions	87225700 031
Omnistats & Accessories			Bar Code	
	RC 80B	Omnistat, Single Stage Heat/Cool, Lighted	Single stage (1 heat/1 cool) thermostat with lighted LCD, accessories kit, manuals	87225700 111
	RC 90B	Omnistat, Single Stage Heat/Cool for Zoned Systems, Lighted	Single stage (1 heat/1 cool, with B & O terminals) for zoned systems thermostat with lighted LCD, accessories kit, manuals	87225700 112
	RC 100B	Omnistat, Heat Pump, Lighted	Heat pump thermostat, (2 heat/1 cool) with lighted LCD, accessories kit, manuals	87225700 108
	RC 112B	Omnistat, Two Speed Heat Pump, Lighted	Two speed heat pump thermostat (3 heat/2 cool) with lighted LCD, accessories kit, manuals	87225700 109
	RC 122B	Omnistat, Two Stage Heat/Cool, Lighted	Two stage thermostat (2 heat/2 cool) with lighted LCD, accessories kit, manuals	87225700 110
	29A00-1	Thermostat Isolation Module	Relay isolation module for RC-80 series thermostats, mounting clips, instructions	87225700 058
	30A00-1	Thermostat Power Supply Module	Power booster for RC-80 series thermostats, instructions	87225700 059
HAI Wireless Products			Bar Code	
<i>NEW!</i>	45A00-1	64 Zone Wireless Receiver	433 MHz wireless receiver with LED display, instructions for HAI transmitters	87225700 230
<i>NEW!</i>	46A00-1	Door/Window Transmitter	Door/Window 3 Zone transmitter with tiltswitch, magnet, mounting hardware, battery, instructions	87225700 231
<i>NEW!</i>	47A00-1	Quad Pet Immune Motion Detector	Quad pet-immune motion detector with wall and ceiling mount hardware, battery, instructions	87225700 232
<i>NEW!</i>	48A00-1	4 Button Keyfob	4 Button keyfob with instructions	87225700 233
<i>NEW!</i>	50A00-1	Panic/Alert Pendant	Panic/alert pendant with lanyard, wall mount bracket and belt clip, instructions	87225700 235
HLC Light Switches & Controllers			Bar Code	
<i>NEW!</i>	35A00-1	600W Dimmer	600 Watt UPB Dimmer, white paddle, connectors, instructions	87225700 171
<i>NEW!</i>	35A00-1CS	600W Dimmer - Case lot of 12	Case of 12 35A00-1 600W Dimmers	87225700 175

NEW!	35A14-BRCS	Switch Color Change Kit, Brown, case of 12	Case of 12 Paddles, bezel assembly for 35A00, 37A00 & 40A00 series switches	87225700 189
NEW!	35A14-GRCS	Switch Color Change Kit, Gray, case of 12	Case of 12 Paddles, bezel assembly for 35A00, 37A00 & 40A00 series switches	87225700 190
Room & House Controller Color Chge Kit			Bar Code	
NEW!	38A04-WHCS	Room Controller Change Kit, White, case of 12	Case of 12 Bezels for 38A00-1, instructions	87225700 205
NEW!	38A04-IVCS	Room Controller Change Kit, Ivory, case of 12	Case of 12 Bezels for 38A00-1, instructions	87225700 206
NEW!	38A04-ALCS	Room Controller Change Kit, Almond, case of 12	Case of 12 Bezels for 38A00-1, instructions	87225700 207
NEW!	38A04-BLCS	Room Controller Change Kit, Black, case of 12	Case of 12 Bezels for 38A00-1, instructions	87225700 208
NEW!	38A04-BRCS	Room Controller Change Kit, Brown, case of 12	Case of 12 Bezels for 38A00-1, instructions	87225700 209
NEW!	38A04-GRCS	Room Controller Change Kit, Gray, case of 12	Case of 12 Bezels for 38A00-1, instructions	87225700 210
NEW!	38A05-WHCS	House Controller Change Kit, White, case of 12	Case of 12 Bezels for 38A00-2, instructions	87225700 217
NEW!	38A05-IVCS	House Controller Change Kit, Ivory, case of 12	Case of 12 Bezels for 38A00-2, instructions	87225700 218
NEW!	38A05-ALCS	House Controller Change Kit, Almond, case of 12	Case of 12 Bezels for 38A00-2, instructions	87225700 219
NEW!	38A05-BLCS	House Controller Change Kit, Black, case of 12	Case of 12 Bezels for 38A00-2, instructions	87225700 220
NEW!	38A05-BRCS	House Controller Change Kit, Brown, case of 12	Case of 12 Bezels for 38A00-2, instructions	87225700 221
NEW!	38A05-GRCS	House Controller Change Kit, Gray, case of 12	Case of 12 Bezels for 38A00-2, instructions	87225700 222
Software			(Software must be registered for HAI technical support.)	Bar Code
	1105W	HAI Upload / Download IBM-PC for Windows	(Software must be registered for HAI technical support.)	87225700 008
	1106W	HAI End User Software / IBM-PC for Windows	(Software must be registered for HAI technical support.)	87225700 009
	1108	HAI Web-Link II Software	(Software must be registered for HAI technical support.)	87225700 010
NEW!	1109	HAI Home Control for Windows Media Centers	(Software must be registered for HAI technical support.)	87225700 165
Connectivity Accessories				
	21A05-2	Serial Cable connects Omni controllers to RS-232 port	7 foot cable, modular to DB-9F - connects Omni LT, Omni II, Pro II serial ports to computer RS-232 port for use with PC Access, WebLink and Media Center.	87225700 042
NEW!	32A09-1	Loader kit for OmniTouch	Loader kit for OmniTouch and consists of cable and software to format pages	872257000 641
	36A05-2	UPB PIM to computer cable	UPB PIM to computer cable	

NEW	36A05-4	Serial connectivity kit	Serial connectivity kit for Russound, NuVo, RadioRA, Centrlite, Jandy.	8 72257 00243 0
	36A10-1	HLC Expansion Kit for Omni LT and Omni II	Serial Interface, cable & PIM to add HLC to Omni LT & Omni II	87225700 237