

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
2	106080	Touchscreen Hub Replacement Power Supply	Switching power supply brick for use with Touchscreen Hub. Replacement power supply for 32A30-1, 32A30-2, 32A30-3, and 32A30-4.	8 72257 00253 9		
3	106150	Wireless Universal Transmitter	Can be used to send a wireless signal to the HAI 45A00-1 Wireless Receiver when a 3rd-party device is activated. Requires an HAI 64 Zone Wireless Receiver, part number 45A00-1 sold separately.	8 72257 00585 1		
4	10A06-1	16 Zone Hardwire Expander	16 Zone expansion module w/ accessory kit	8 72257 00000 9	http://homeauto.com/SiteElements/images/press/10A06.jpg	
5	10A07-1	4 Relay Module	4 relay module w/ mounting tape	8 72257 00001 6	http://homeauto.com/SiteElements/images/press/Relay ModulesC.tif 300dpi.tif	
6	10A11-1	Two-Way Voice Module	Two way voice board, mounting material, instructions. Use with consoles, keypads, and speaker/microphones: 33A00-1, 33A00-24, 33A00-20, 28A00-1, 28A00-2.	8 72257 00005 4	http://homeauto.com/SiteElements/images/press/10A11-1.jpg	
7	10A17-1	RS-232/RS-485 Serial Board	RS-232/485 serial board, accessories kit, 20 pin cable, instructions	8 72257 00006 1		
8	1101A	PESM - Programmable Energy Saver Module	Programmable energy saver module, instructions	8 72257 00007 8	http://homeauto.com/SiteElements/images/press/thumb_PESMC.tif 300dpi.jpg	
9	1105W	Multi-Lingual PC Access Software:	PC Access automatically detects the native language of the PC and if that language is supported, the PC Access user interface will be displayed in that language. Current supported languages include: English, Arabic, Catalan, French, German, Hebrew, Italian, Portuguese, Russian, Spanish for Latin America, Spanish for Europe, Simplified Chinese, Traditional Chinese. Web registration page detects the language of web browser and displays registration page in that language. HAI PC Access Dealer Software, Upload / Download IBM-PC for Windows allows set up, program and monitor an HAI Omni home control system. Software must be registered for HAI technical support.	8 72257 00008 5	http://homeauto.com/SiteElements/images/press/PCAccess3.tif	http://homeauto.com/Downloads/Products/PCAccess/PCAccessTechSheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
10	1106W	PC Access End User Software / IBM-PC for Windows	Allows set up, program and monitor an HAI Omni home control system. Software must be registered for HAI technical support.	8 72257 00009 2	http://homeauto.com/SiteElements/images/press/PCAccess3.tif	http://homeauto.com/Downloads/Products/PCAccess/PCAccessTechSheet.pdf
11	1108	Web-Link II Software	Allows access and control of your HAI home control system over the internet. Software must be registered for HAI technical support.	8 72257 00010 8	http://homeauto.com/SiteElements/images/press/Vista_Glass.jpg	http://homeauto.com/Downloads/Products/WebLink/WebLinkTechSheet.pdf
12	1109	Home Control for Windows Media Centers	Runs on a Windows Media Center computer for control using a single Media Center remote control. Software must be registered for HAI technical support.	8 72257 00165 5	http://homeauto.com/SiteElements/images/Press/MCE_Start.jpg	http://homeauto.com/Downloads/Products/HomeControlforWMC/WMC.pdf
13	110A00-1	Omni-Bus 400W Dimmer Din Rail	Controls 220V Incandescent, 220V Halogen, and Low voltage transformers suitable for trailing edge dimming. Omni-Bus component designed for international use only; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00701 5		
14	110A00-2	Omni-Bus 900W Dimmer Din Rail	Controls 220V Incandescent, 220V Halogen, Low voltage electronic transformers, Low voltage magnetic transformers. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00702 2		
15	1110	Combo Software, Web-Link II/Windows Media Center	Allows access and control of your HAI home control system over the internet. Runs on a Windows Media Center computer for control using a single Media Center remote control. (Software must be registered for HAI technical support.)	8 72257 00286 7		
16	1111	Lumina PC Access Software	Allows set up, program and monitoring an HAI Lumina home control system. Current supported languages include: English, Catalan, French, German, Italian, Portuguese, Spanish for Latin America, Spanish for Europe, Simplified Chinese, Traditional Chinese. Software must be registered for HAI technical support.	8 72257 00328 4	http://homeauto.com/SiteElements/images/press/PCAccess3.tif	http://homeauto.com/Downloads/Products/PCAccess/PCAccessTechSheet.pdf

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
17	1112	WL3 for Windows Home Server	WL3 is an Add-in for a Windows Home Server that allows you to monitor and control your HAI Home Control System from any device with a web browser. Software must be registered for HAI technical support.	8 72257 00454 0	http://homeauto.com/ Site Elements/images/Press/WL3Blackberry.jpg	http://homeauto.com/Downloads/Products/WL3/WL3_Technical_Sheet.pdf
18	111A00-1	Omni-Bus 3000W Power Switch Din Rail	Controls general purpose resistive: 3000W (13A) @ 230V~, Motor: 4HP (3000W) @ 230V~, Ballast (Fluorescent lights): 3000W @ 230V~, Low Voltage Transformer: 3000W @ 230V~. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00703 9		
19	1120	Snap-Link Software on USB drive	Adjust settings of your HAI home control system on the go. Software must be registered for HAI technical support.	8 72257 00285 0	http://homeauto.com/ Site Elements/images/Products/snaplink/SL_Home.jpg	http://homeauto.com/Downloads/Products/Snap-Link/Snap-Link%20Tech%20Sheet.pdf
20	1120M	Snap-Link Mobile	Snap-Link Mobile allows monitoring and control of lights, security, audio, and more on handheld mobile devices such as PDA's, Smartphones and others running Windows Mobile operating software. Requires a device running Windows Mobile 5 or 6 and >NET Compact Framework 2.0+. Not compatible with Windows Mobile 7.0 and higher. Software must be registered for HAI technical support.	8 72257 00412 0	http://homeauto.com/ Site Elements/images/Press/SL_MobileMainScreen.jpg	http://homeauto.com/downloads/products/snap-linkmobile/snaplinkmobiletechsheet.pdf
21	1126	Automation Studio	This software is used to design custom interfaces for OmniTouch Portable and OmniTouch 5.7e, and with the HAI Home Theatre Extender, part number 86A00-1, sold separately. English, Catalan, French, German, Italian, Portuguese, Spanish for Latin America, Spanish for Europe, Simplified Chinese, Traditional Chinese.	8 72257 00532 5	http://homeauto.com/ Site Elements/images/press/1126.jpg	http://homeauto.com/Downloads/Products/AutomationStudio/AutomationStudio_TechSheet.pdf
22	112A00-1	Omni-Bus 4-Channel Relay Module Din Rail	Controls up to 4 general purpose resistive loads: 460W (2A) @ 230V~ or for general purpose low voltage switching applications (e.g. irrigation valves, gates, garage doors, etc.). Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00704 6		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
23	1131	OmniTouch Pro	OmniTouchPro is an intuitive touchscreen interface application for a PC or PC touchscreen that provides access to security, lighting, temperature, audio/video, cameras, and much more. The product has default interface designs in various resolutions in 10 Languages and may also be customized using HAI Automation Studio software, 1126. English, Catalan, French, German, Italian, Portuguese, Spanish for Latin America, Spanish for Europe, Simplified Chinese, Traditional Chinese.	8 72257 00754 1	http://www.homeauto.com/SiteElements/images/press/OmniTouchProOneTouch.jpg	http://homeauto.com/Downloads/Products/Consoles/Touchscreens/OmniTouchProTechSheet.pdf
24	1131X3	OmniTouch Pro Software Bundle	Discounted Bundle of (3) licenses for OmniTouchPro -- an intuitive touchscreen interface application for a PC or PC touchscreen that provides access to security, lighting, temperature, audio/video, cameras, and much more. The product has default interface designs in various resolutions in 10 different languages and can also be customized using HAI Automation Studio software, 1126. English, Catalan, French, German, Italian, Portuguese, Spanish for Latin America, Spanish for Europe, Simplified Chinese, Traditional Chinese.	8 72257 00792 3	http://www.homeauto.com/SiteElements/images/press/OmniTouchProOneTouch.jpg	http://homeauto.com/Downloads/Products/Consoles/Touchscreens/OmniTouchProTechSheet.pdf
25	1131x6	OmniTouch Pro Software Bundle	Discounted Bundle of (6) licenses for OmniTouchPro -- an intuitive touchscreen interface application for a PC or PC touchscreen that provides access to security, lighting, temperature, audio/video, cameras, and much more. The product has default interface designs in various resolutions in 10 different languages and can also be customized using HAI Automation	8 72257 00906 4		
26	113A00-1	Omni-Bus 1-Button Wall Switch-White	1-Button hardwired switch; controls dimmer, power switch, relay, or input into HAI controller. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00705 3		
27	113A00-2	Omni-Bus 1-Channel Wall Mount Remote Control	1-Button wireless switch; controls dimmer, power switch, relay, or input into HAI controller; requires 116A00-1 RF Transceiver. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00706 0		
28	113A00-3	Omni-Bus 2-Button Wall Switch-White	2-Button hardwired switch; controls dimmers, power switches, relays, or inputs into HAI controller. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00707 7		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
29	113A00-4	Omni-Bus 2-Channel Wall Mount Remote Control	2 Button wireless switch; controls dimmers, power switches, relays, or inputs into HAI controller; requires 116A00-1 RF Transceiver. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00708 4		
30	113A00-5	Omni-Bus 3-Button Wall Switch-White	3- Button hardwired switch; controls dimmers, power switches, relays, or inputs into HAI controller. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00709 1		
31	113A00-6	Omni-Bus 3-Button Wall Switch-Brushed Stainless	3-Button hardwired switch; brushed stainless steel; controls dimmers, power switches, relays, or inputs into HAI controller. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00710 7		
32	113A00-7	Omni-Bus 3-Channel Wall Mount Remote Control	3-Button wireless switch; controls dimmers, power switches, relays, or inputs into HAI controller; requires 116A00-1 RF Transceiver. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00711 4		
33	113A00-8	Omni-Bus 6-Button Wall Switch-White	6-Button hardwired switch; controls dimmers, power switches, relays, or inputs into HAI controller. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00712 1		
34	113A00-9	Omni-Bus 6-Button Wall Switch-Brushed Stainless	6-Button hardwired switch; brushed stainless steel; controls dimmers, power switches, relays, or inputs into HAI controller. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00713 8		
35	114A00-1	Omni-Bus 6-Channel Universal Switch Interface Module	Connects up to (6) third-party switches to the Omni-Bus network and has 6 LED outputs to control 2-lead bi-color or single color LED indicators for each switch. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S. Uses Omni-Bus cable assembly 114A01-1.	8 72257 00714 5		
36	114A01-1	Omni-Bus Cable Assemblies for Universal Switch Interface Module	Pack of 12 cable assemblies for Omni-Bus Universal Switch Interface Module 114A00-1. 150mm Cable Assembly used to connect a switch input or LED output of the 114A00-1 to third-party switch. One cable is required for each input or LED output. Cables not sold separately. 114A00-1 is sold separately. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00851 7		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
37	115A00-1	Omni-Bus RF Transceiver Din Rail	Wireless transceiver; use with Remote Control 113A00-2, 113A00-4, 113A00-7, 125A00-1, 125A00-2. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00715 2		
38	116A00-1	Omni-Bus USB Programming Interface Unit	Used to configure and maintain all user programmable parameters of the Omni-Bus network with a PC; includes Omni-Bus PC software license. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00716 9		
39	117A00-1	Omni-Bus Interface Translator Din Rail	Allows HAI Controllers (OmniLT, OmniIle, OmniPro II, Lumina, and Lumina Pro) to interface with an . Omni-Bus network . Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00717 6		
40	118A00-1	Omni-Bus DALI Gateway Din Rail	Controls DALI output devices; includes On/Off switching, Dimming, DALI group control, DALI broadcast control, and DALI scene control. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00718 3		
41	119A00-1	Omni-Bus Splitter Box 3-Way	3-Way Splitter; used where a T-junction or network split is required; a splitter is required. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00719 0		
42	120A00-1	Omni-Bus Splitter Box 8-Way Din Rail	8-Way Splitter; used where a T-junction or network split is required; a splitter is required. Omni-Bus component designed for international use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00720 6		
43	121A00-1	Omni-Bus Jumper Plug	Sold in packs of 10; used to terminate any open ends or open connectors on the Omni-Bus network; required Omni-Bus component designed for international use 220-240V~, 50Hz; not for use in the U.S. Not sold individually.	8 72257 00721 3		
44	122A00-1	Omni-Bus Termination Plug	Used to terminate the Omni-Bus network; each network must contain ONE and only one network Termination Plug; required Omni-Bus component designed for International use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00722 0		
45	123A00-1	Omni-Bus Bus Power Supply 2.5A Din Rail	24VDC 2.5A power supply; provides power to the Omni-Bus network; required Omni-Bus component designed for International use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00723 7		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
46	124A00-1	Omni-Bus Bus Power Supply Interface 2A Din Rail	Used to detect overloading and some cabling errors on the Omni-Bus network; required Omni-Bus component designed for International use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00724 4		
47	125A00-1	Omni-Bus 6-Channel Key Ring Remote Control	6-Channel Wireless RF transmitter; keyfob, requires 116A00-1 RF Transceiver. Omni-Bus component designed for International use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00725 1		
48	125A00-2	Omni-Bus 16-Channel Key Ring Remote Control	16-Channel Wireless RF transmitter; keyfob, requires 116A00-1 RF Transceiver. Omni-Bus component designed for International use; 220-240V~, 50Hz; not for use in the U.S.	8 72257 00726 8		
49	126A00-1	Omni-Bus Scene Control DIN Rail Module	Stores lighting scenes to be executed from various Omnu-Bus wall switches and remote controls. Can be used with or without an HAI controller. Works with Omni-Bus Interface Translator.	8 72257 00886 9		
50	12ASPECTR AINKIT	12A Special Training Kit - 2012	Includes OmniPro II controller for structured wiring enclosures; PIM; extended range indoor/outdoor temp and humidity sensor, Omni console, serial cable, 8-Port PoE Network switch; Omnistat RC-2000WH, white.	8 72257 00879 1		
51	12INTLLB	Omni-Bus Standalone Intl Lighting Bundle-Enclosure-English	Lumina controller in enclosure with lock and keys, English; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00887 6		
52	12INTLLBA R	Omni-Bus Standalone Intl Lighting Bundle-Enclosure-Arabic	Lumina controller in enclosure with lock and keys, Arabic; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
53	12INTLLBC AT	Omni-Bus Standalone Intl Lighting Bundle- Enclosure-Catalan	Lumina controller in enclosure with lock and keys, Catalan; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
54	12INTLLBC HS	Omni-Bus Standalone Intl Lighting Bundle- Enclosure-Chinese Simplified	TBDLumina controller in enclosure with lock and keys, Chinese Simplified; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
55	12INTLLBC HT	Omni-Bus Standalone Intl Lighting Bundle- Enclosure-Chinese Traditional	Lumina controller in enclosure with lock and keys, Chinese Traditional; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
56	12INTLLBF R	Omni-Bus Standalone Intl Lighting Bundle- Enclosure-French	Lumina controller in enclosure with lock and keys, French; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
57	12INTLLBGER	Omni-Bus Standalone Intl Lighting Bundle-Enclosure-German	Lumina controller in enclosure with lock and keys, German; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
58	12INTLLBHE	Omni-Bus Standalone Intl Lighting Bundle-Enclosure-Hebrew	Lumina controller in enclosure with lock and keys, Hebrew; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
59	12INTLLBIT	Omni-Bus Standalone Intl Lighting Bundle-Enclosure-Italian	Lumina controller in enclosure with lock and keys, Italian; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
60	12INTLLBOR	Omni-Bus Standalone Intl Lighting Bundle-Enclosure-Portuguese	Lumina controller in enclosure with lock and keys, Portuguese; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
61	12INTLLBR U	Omni-Bus Standalone Intl Lighting Bundle- Enclosure-Russian	Lumina controller in enclosure with lock and keys, Russian; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
62	12INTLLBS	Omni-Bus Standalone Intl Lighting Bundle- Backplate-English	TBDLumina controller on backplate, English; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
63	12INTLLBS AR	Omni-Bus Standalone Intl Lighting Bundle- Backplate-Arabic	Lumina controller on backplate, Arabic; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
64	12INTLLBS CAT	Omni-Bus Standalone Intl Lighting Bundle- Backplate-Catalan	Lumina controller on backplate, Catalan; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
65	12INTLLBS CHS	Omni-Bus Standalone Intl Lighting Bundle- Backplate-Chinese Simplified	Lumina controller on backplate, Chinese Simplified; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
66	12INTLLBS CHT	Omni-Bus Standalone Intl Lighting Bundle- Backplate-Chinese Traditional	Lumina controller on backplate; Chinese Traditional; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
67	12INTLLBS FR	Omni-Bus Standalone Intl Lighting Bundle- Backplate-French	Lumina controller on backplate; French; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
68	12INTLLBS GER	Omni-Bus Standalone Intl Lighting Bundle- Backplate-German	Lumina controller on backplate, German; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
69	12INTLLBS HE	Omni-Bus Standalone Intl Lighting Bundle- Backplate-Hebrew	Lumina controller on backplate, Hebrew; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
70	12INTLLBSI T	Omni-Bus Standalone Intl Lighting Bundle- Backplate-Italian	Lumina controller in enclosure with lock and keys, English; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
71	12INTLLBS PA	Omni-Bus Standalone Intl Lighting Bundle- Enclosure-Spanish for Latin Americ	Lumina controller in enclosure with lock and keys, Spanish for Latin America; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
72	12INTLLBS PE	Omni-Bus Standalone Intl Lighting Bundle- Enclosure-Spanish for Europe	Lumina controller in enclosure with lock and keys, Spanish for Europe; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
73	12INTLLBS POR	Omni-Bus Standalone Intl Lighting Bundle- Backplate- Portuguese	Lumina controller on backplate, Portuguese; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
74	12INTLLBS RU	Omni-Bus Standalone Intl Lighting Bundle- Backplate-Russian	Lumina controller on backplate, Russian; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
75	12INTLLBS SPA	Omni-Bus Standalone Intl Lighting Bundle- Backplate-Spanish for Latin Americ	Lumina controller ion backplate, Spanish for Latin America; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
76	12INTLLBS SPE	Omni-Bus Standalone Intl Lighting Bundle- Backplate-Spanish for Europe	Lumina controller on backplate, Spanish for Europe; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
77	12INTLOB	Omni-Bus Intl Lighting Bundle	Includes various Omni-Bus products. (4) 400 W dimmer modules; (2) 2-button wall switches, white; USB programming interface unit; splitter box 8-way module, jumper plug, termination plug, power supply module, power supply interface module, scene control module.	8 72257 00888 3		
78	12PROMOB EMB	Building Energy Management Bundle	Includes Lumina Pro Controller in Enclosure - English; (4) wireless load control modules; wireless coordinator; wireless Omnistat 2, white; snap-link.	8 72257 00871 5		
79	12PROMOD AB	Distributed Audio Bundle	Includes OmniTouch Touchscreen 5.7e English (unless specified otherwise); Hi-Fi 2 in enclosure; POE Injector, one port; (2) wireless Ipod Dock-US. Add the controller of your choice; OmniPro II, Omni Iie, Lumina Pro, or Lumina. OmniTouch Touchscreen in English will be supplied unless another language is specified: Languages available with Language Code: Catalan (-CAT); French (-FR); German (-GER); Italian (-IT); Portuguese (-POR); Spanish for Latin America (-SPA); Spanish for Europe (-SPE); Simplified Chinese (CHS); Traditional Chinese (CHT).	8 72257 00xxx x		
80	12PROMOE MB	Energy Management Bundle	Includes wireless Omnistat2, white; microcontrol; 30A wireless load control module; (2) 15A plug in load control modules.	8 72257 00870 8		
81	12PROMOH TLB	Home Theater Lighting Bundle	Includes (3) 600 W dimmers; 600W non-dimmer; 6-button scene switch, scene switch remote; white table top scene switch cradle. Use these control devices with or without a home automation controllers. [for 110V markets only.]	8 72257 00868 5		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
82	12PROMOL B	Lighting Bundle	Includes case of 600 W dimmers (12); PIM and cable; PIM to computer cable; (4) auxiliary switches; (4) relay switches, (2) lamp modules; split phase repeater [for 110V markets only]. Use these control devices with or without a home automation controller.	8 72257 00873 9		
83	12PROMON AVCB	Network A/V Control Bundle	Includes OmniTouch Touchscreen 5.7e English (unless specified otherwise); POE injector; home theater extender 2. Add the controller of your choice; OmniPro II, Omni Iie, Lumina Pro, or Lumina. OmniTouch Touchscreen in English will be supplied unless another language is specified: Languages available with Language Code: Catalan (-CAT); French (-FR); German (-GER); Italian (-IT); Portuguese (-POR); Spanish for Latin America (-SPA); Spanish for Europe (-SPE); Simplified Chinese (CHS); Traditional Chinese (CHT).	8 72257 00869 2		
84	14A00-8	Water Temperature Sensor	Water temperature sensor module, probe, accessories, instructions. Use for pools, spas, aquatic ponds, fish tanks, greenhouses, and more. Sensing range is 0-120F.	8 72257 00014 8	http://homeauto.com/SiteElements/images/press/Water%20temp%20sensor.jpg	
85	17A00-1	16 Zone/16 Output Expansion Enclosure	16 input/16 output expansion board with enclosure, lock set w/ two keys, accessories kit, instructions. Use with OmniPro II or Lumina Pro.	8 72257 00015 3	http://www.homeauto.com/SiteElements/images/press/17A00-1.jpg	
86	17A00-8	16 Zone/16 Output Expansion Board Only	16 input/16 output expansion board only. Use with OmniPro II or Lumina Pro.	8 72257 00016 0	http://www.homeauto.com/SiteElements/images/press/17A00-8.jpg	
87	17A00-9	16 Zone/16 Output Expansion Board on a Universal Mounting Plate	16 input/16 output expansion board on a universal mounting plate with accessories kit, instructions for installation in Leviton, UStec, OnQ and "Open House" type structured wiring enclosures. Use with OmniPro II or Lumina Pro.	8 72257 00017 7	http://www.homeauto.com/SiteElements/images/press/17A00-9.jpg	
88	18A00-13	Omni Pro II Demo System with Touchscreen and HLC	Fully assembled and operational OmniPro II demo system including controller, RC-2000WH thermostat, LCD console with built-in speaker, OmniTouch Touchscreen, HAI Lighting Control: House Status Switch, Scene Switch, and Dimmer, Powerline Interface Module. Designed to work with 60HZ, 120VAC power. HAI's lighting control works with 110V power only.	8 72257 00048 1		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
89	18A00-14	Lumina Demo Case	Fully assembled and operational Lumina demo system including Lumina controller, RC-2000WH thermostat, LCD keypad with built-in speaker, OmniTouch Touchscreen, HAI Lighting Control: House Status Switch, Scene Switch, Mode Controller and Dimmer, Powerline Interface Module and Phase Coupler, packaged in a super duty black travel case. Demo programs included. Designed to work with 60HZ, 120VAC power. HAI's lighting control works with 110V power only.	8 72257 00294 2		
90	18A00-15	Hi-Fi 2 by HAI Demo Case	Standalone kit demonstrates the power of Hi-Fi 2 by HAI and includes controller, VSC, RIM, remote control.	8 72257 00853 1		
91	18A00-16	International Demo System	Fully assembled and operational OmniPro II demo system including controller, RC-2000WH thermostat, LCD console with built-in speaker, OmniTouch Touchscreen, Access Control.	8 72257 00526 4		
92	18A00-18	IP-Based Product Suite Demo Case	Demonstrate a variety of IP-based HAI products-including surveillance devices-all at once. Automation products include: HAI OmniTouch 5.7e Touchscreen, HTX, HAI Camera Server, day/night bullet camera, and 8-port PoE switch.	8 72257 00584 4		
93	18A00-20	MicroControl Energy Management Demo Case	Features several HAI ZigBee wireless devices including microcontrol, Omnistat 2 PCT, load control module.	8 72257 00863 0		
94	18A00-5	Demo Adapter Kit	Demo adapter board, instructions (for Omni Iie and OmniPro II)	8 72257 00020 7		
95	19A00-1	8 Relay Module	8 relay module w/ accessory kit - mounts in 17A00-1 Expansion Enclosure.	8 72257 00021 4	http://homeauto.com/SiteElements/images/press/Relay%20ModulesC.tif%20300dpi.tif	
96	19A00-1H	8 Relay Module	8 relay module w/ accessory kit - mounts in 17A00-1 Expansion Enclosure or below Omni 20A00 series and Lumina controllers. [Not Omni LT.]	8 72257 00891 3	http://homeauto.com/SiteElements/images/press/Relay%20ModulesC.tif%20300dpi.tif	

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
97	20A00-2	OmniPro II Controller in Enclosure- English	OmniPro II controller in enclosure, lock set with two keys, RJ31X cord and jack, manuals.	8 72257 00023 8	http://homeauto.com/ Site Elements/images/Press/OmniProIIOpenCan.JPG	http://homeauto.com/Downloads/Products/AutomationControllers/OmniProII/OmniPro2.pdf
98	20A00-21	OmniPro II Board Only - English	OmniPro II controller board only - English	8 72257 00024 5	http://homeauto.com/ Site Elements/images/press/OmniProIIonbackplate.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniProII/OmniPro2.pdf
99	20A00-21AR	OmniPro II Board Only - Arabic	OmniPro II controller board only - Arabic	8 72257 00xxx x		
100	20A00-21CAT	OmniPro II Board Only - Catalan	OmniPro II controller board only - Catalan	8 72257 00595 0		
101	20A00-21CHS	OmniPro II Board Only - Simplified Chinese	OmniPro II controller board only - English firmware; manual in Simplified Chinese.	8 72257 00657 5		
102	20A00-21CHT	OmniPro II Board Only - Traditional Chinese	OmniPro II controller board only - English firmware; manual in Traditional Chinese.	8 72257 00653 7		
103	20A00-21FR	OmniPro II Board Only - French	OmniPro II controller board only - French	8 72257 00596 7		
104	20A00-21GER	OmniPro II Board Only - German	OmniPro II controller board only - German	8 72257 00xxx x		
105	20A00-21HE	OmniPro II Board Only - Hebrew	OmniPro II controller board only - Hebrew	8 72257 00xxx x		
106	20A00-21IT	OmniPro II Board Only - Italian	OmniPro II controller board only - Italian (Text and Voice)	8 72257 00534 9		
107	20A00-21POR	OmniPro II Board Only - Portuguese	OmniPro II controller board only - Portuguese	8 72257 00xxx x		
108	20A00-21RU	OmniPro II Board Only - Russian	OmniPro II controller board only - Russian	8 72257 00xxx x		

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
109	20A00-21SPA	OmniPro II Board Only - Spanish for Latin America	OmniPro II controller board only - Spanish for Latin America	8 72257 00400 7	http://homeauto.com/ Site Elements/images/press/OmniProonbackplate.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniProII/OmniProII_LA_Spanish.pdf
110	20A00-21SPE	OmniPro II Board Only - Euro Spanish	OmniPro II controller board only - Spanish for Europe	8 72257 00598 1		
111	20A00-2SPA	OmniPro II Controller in Enclosure - Spanish for Latin America	OmniPro II controller in enclosure, lock set with two keys, RJ31X cord and jack, manuals. Spanish for Latin America	8 72257 00330 7	http://homeauto.com/ Site Elements/images/Press/OmniProIIOpenCan.JPG	http://homeauto.com/Downloads/Products/AutomationControllers/OmniProII/OmniProII_LA_Spanish.pdf
112	20A00-5	OmniPro II Commercial Controller in Enclosure - English	OmniPro II controller in commercial attack proof enclosure, lock set with two keys, RJ31X cord and jack, manuals.	8 72257 00027 6		
113	20A00-50	Omni Iie Controller in Enclosure - English	Omni Iie controller in enclosure, lock set w/ two keys, RJ31X cord and jack, manuals.	8 72257 00273 7	http://homeauto.com/ Site Elements/images/press/Omni-Iie-Open.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniIie/OmniIie_TechSheet.pdf
114	20A00-52	Omni Iie Controller on Backplate - English	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, Module, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door.	8 72257 00275 1	http://homeauto.com/ Site Elements/images/press/OmniProonbackplate.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniIie/OmniIie_TechSheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
115	20A00-52AR	Omni Iie Controller on Backplate - Arabic	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, Module, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Arabic	8 72257 00xxx x		
116	20A00-52CAT	Omni Iie Controller on Backplate – Catalan	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Catalan	8 72257 00599 8		
117	20A00-52CHS	Omni Iie Controller on Backplate - Simplified Chinese	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Controller with English firmware; manual in Simplified Chinese.	8 72257 00660 5		
118	20A00-52CHT	Omni Iie Controller on Backplate - Traditional Chinese	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, Ustec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Controller with English firmware; manual in Traditional Chinese.	8 72257 00656 8		
119	20A00-52FR	Omni Iie Controller on Backplate – French	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, Ustec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. French	8 72257 00600 1		
120	20A00-52GER	Omni Iie Controller on Backplate – German	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, Ustec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. German	8 72257 00xxx x		
121	20A00-52HE	Omni Iie Controller on Backplate - Hebrew	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, Module, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Hebrew	8 72257 00xxx x		
122	20A00-52IT	Omni Iie Controller on Backplate – Italian	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Italian	8 72257 00601 8		

	A	B	C	D	E	F
1	HAI Part Numl	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
123	20A00-52POR	Omni Iie Controller on Backplate – Portuguese	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, Ustec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Portuguese	8 72257 00xxx x		
124	20A00-52RU	Omni Iie Controller on Backplate - Russian	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, Module, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Russian	8 72257 00xxx x		
125	20A00-52SPA	Omni Iie Controller on Backplate - LA Spanish	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Spanish for Latin America	8 72257 00331 4	http://homeauto.com/ Site Elements/images/press/OmniProonbackplate.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniIie/OmniIie_TechSheet.pdf
126	20A00-52SPE	Omni Iie Controller on Backplate – Euro Spanish	Omni Iie controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Spanish for Europe	8 72257 00602 5		
127	20A00-53	Omni Iie Board Only - English	Omni Iie controller board only	8 72257 00276 8	http://homeauto.com/ Site Elements/images/products/omniie/OmniIieBoard.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniIie/OmniIie_TechSheet.pdf
128	20A00-53AR	Omni Iie Board Only - Arabic	Omni Iie controller board only - Arabic	8 72257 00xxx x		
129	20A00-53CAT	Omni Iie Board Only – Catalan	Omni Iie controller board only - Catalan	8 72257 00603 2		
130	20A00-53CHS	Omni Iie Board Only - Simplified Chinese	Omni Iie controller board only - English firmware; manual in Simplified Chinese.	8 72257 00658 2		
131	20A00-53CHT	Omni Iie Board Only - Traditional Chinese	Omni Iie controller board only - English firmware; manual in Traditional Chinese	8 72257 00654 4		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
132	20A00-53FR	Omni Iie Board Only – French	Omni Iie controller board only - French	8 72257 00604 9		
133	20A00-53GER	Omni Iie Board Only – German	Omni Iie controller board only - German	8 72257 00xxx x		
134	20A00-53HE	Omni Iie Board Only - Hebrew	Omni Iie controller board only - Hebrew	8 72257 00xxx x		
135	20A00-53IT	Omni Iie Board Only - Italian	Omni Iie controller board only - Italian (Text and Voice)	8 72257 00535 6		
136	20A00-53POR	Omni Iie Board Only – Portuguese	Omni Iie controller board only - Portuguese	8 72257 00xxx x		
137	20A00-53RU	Omni Iie Board Only - Russian	Omni Iie controller board only - Russian	8 72257 00xxx x		
138	20A00-53SPA	Omni Iie Board Only - Spanish for Latin America	Omni Iie controller board only - Spanish for Latin America	8 72257 00605 6	http://homeauto.com/ Site Elements/images/products/omniie/OmniIeBoard.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniIe/OmniIe_TechSheet.pdf
139	20A00-53SPE	Omni Iie Board Only – Euro Spanish	Omni Iie controller board only - Spanish for Europe	8 72257 00606 3		
140	20A00-8	OmniPro II Controller on Backplate - English	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door.	8 72257 00029 0	http://homeauto.com/ Site Elements/images/products/omniie/OmniIeonBackplate.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniProII/OmniPro2.pdf
141	20A00-8AR	OmniPro II Controller on Backplate - Arabic	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Arabic	8 72257 00xxx x		
142	20A00-8CAT	OmniPro II Controller on Backplate – Catalan	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Catalan	8 72257 00607 0		

	A	B	C	D	E	F
1	AI Part Numl	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
143	20A00-8CHS	OmniPro II Controller on Backplate - Simplified Chinese	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. English firmware; manual in Simplified Chinese.	8 72257 00659 9		
144	20A00-8CHT	OmniPro II Controller on Backplate - Traditional Chinese	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, Ustec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. English firmware; manual in Traditional Chinese.	8 72257 00655 1		
145	20A00-8FR	OmniPro II Controller on Backplate – French	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. French	8 72257 00608 7		
146	20A00-8GER	OmniPro II Controller on Backplate – German	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Geman	8 72257 00xxx x		
147	20A00-8HE	OmniPro II Controller on Backplate - Hebrew	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Hebrew	8 72257 00xxx x		
148	20A00-8IT	OmniPro II Controller on Backplate - Italian	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Italian	8 72257 00609 4		
149	20A00-8POR	OmniPro II Controller on Backplate – Portuguese	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, Ustec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Portuguese	8 72257 00xxx x		
150	20A00-8RU	OmniPro II Controller on Backplate - Russian	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Russian	8 72257 00xxx x		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
151	20A00-8SPA	OmniPro II Controller on Backplate - Spanish for Latin America	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Spanish for Latin America	8 72257 00332 1	http://homeauto.com/ Site Elements/images/products/omniie/OmniIeonBackplate.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniProII/OmniProII_LA_Spanish.pdf
152	20A00-8SPE	OmniPro II Controller on Backplate – Euro Spanish	OmniPro II controller on mounting plate for Leviton, OnQ/Legrand, UStec and "open house" type enclosures, RJ31X cord and jack, manuals, accessory kit, & wiring diagram for enclosure door. Spanish for Europe	8 72257 00610 0		
153	20A04-1UPG	Omni II Chip Upgrade - English	EPROM chip upgrade with installation instructions is only used to update older boards that do not have flash memory. Newer boards have flash memory for easy firmware updates and 5 serial ports.	8 72257 00030 6		
154	20A04-21UPG	Lumina Chip Upgrade - English	EPROM chip upgrade with installation instructions is only used to update older boards that do not have flash memory. Newer boards have flash memory for easy firmware updates and 5 serial ports.	8 72257 00287 4		
155	20A04-22UPG	Lumina Pro Chip Upgrade - English	EPROM chip upgrade with installation instructions is only used to update older boards that do not have flash memory. Newer boards have flash memory for easy firmware updates and 5 serial ports.	8 72257 00288 1		
156	20A04-2UPG	OmniPro II Chip Upgrade - English	EPROM chip upgrade with installation instructions is only used to update older boards that do not have flash memory. Newer boards have flash memory for easy firmware updates and 5 serial ports.	8 72257 00031 3		
157	20A04-38UPG	OmniPro II Upgrade Chip - Italian	EPROM chip upgrade with installation instructions is only used to update older boards that do not have flash memory. Newer boards have flash memory for easy firmware updates and 5 serial ports.	8 72257 00559 2		
158	20A04-39UPG	Omni Iie Upgrade Chip - Italian	EPROM chip upgrade with installation instructions is only used to update older boards that do not have flash memory. Newer boards have flash memory for easy firmware updates and 5 serial ports.	8 72257 00560 8		

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
159	20A04-42UPG	OmniPro II Chip Upgrade - Spanish for Latin America	EPROM chip upgrade with installation instructions is only used to update older boards that do not have flash memory. Newer boards have flash memory for easy firmware updates and 5 serial ports.	8 72257 00384 0		
160	20A04-50UPG	Omni IIe Chip Upgrade - English	EPROM chip upgrade with installation instructions is only used to update older boards that do not have flash memory. Newer boards have flash memory for easy firmware updates and 5 serial ports.	8 72257 00289 8		
161	20A07-2	Universal Mounting Plate	Mounting plate, hardware kit and instructions. Used to mount Omni, Lumina, and Hi-Fi by HAI Main Board Assembly in Leviton, OnQ/Legrand, USTec and "open house" type structured wiring enclosures	8 72257 00032 0	http://homeauto.com/SiteElements/images/press/universal%20backplate.jpg	
162	20A10-1	CE Conversion kit for HAI Omni II & OmniPro II Controllers	UL/FCC compliance label for CE, Cable ties, Cable tie mounts, Shock Stickers, CE stickers, Directions.	8 72257 00033 7		
163	21A00-1	Omni LT Controller - English	Omni LT controller in enclosure, RJ31X jack and cable, manuals, accessory kit.	8 72257 00034 4	http://homeauto.com/SiteElements/images/press/21A00-1.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniLT/OmniLT.pdf
164	21A00-11	Omni LT on Backplate - English	Omni LT controller on mounting plate for Leviton & "open house" enclosures, RJ31X jack, manuals, accessory kit, & wiring label for enclosure door.	8 72257 00035 1	http://homeauto.com/SiteElements/images/press/Omni%20LT-%20LEV.jpg	http://homeauto.com/Downloads/Products/AutomationControllers/OmniLT/OmniLT.pdf
165	21A00-11CAT	Omni LT on Backplate - Catalan	Omni LT controller on mounting plate for Leviton & "open house" enclosures, RJ31X jack, manuals, accessory kit, & wiring label for enclosure door. Catalan	8 72257 00611 7		
166	21A00-11FR	Omni LT on Backplate - French	Omni LT controller on mounting plate for Leviton & "open house" enclosures, RJ31X jack, manuals, accessory kit, & wiring label for enclosure door. French	8 72257 00612 4		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
167	21A00-11IT	Omni LT on Backplate - Italian	Omni LT controller on mounting plate for Leviton & "open house" enclosures, RJ31X jack, manuals, accessory kit, & wiring label for enclosure door. Italian	8 72257 00613 1		
168	21A00-11SPA	Omni LT on Backplate - LA Spanish	Omni LT controller on mounting plate for Leviton & "open house" enclosures, RJ31X jack, manuals, accessory kit, & wiring label for enclosure door. Spanish for Lation America	8 72257 00614 8	http://homeauto.com/ Site Elements/images/press/Omni%20LT-%20LEV.jpg	http://homeauto.com/Downloads/Products/AutomationControllers/OmniLT/OmniLT.pdf
169	21A00-11SPE	Omni LT on Backplate – Euro Spanish	Omni LT controller on mounting plate for Leviton & "open house" enclosures, RJ31X jack, manuals, accessory kit, & wiring label for enclosure door. Spanish for Europe	8 72257 00615 5		
170	21A00-2	Omni LT Board Only - English	Omni LT controller board only.	8 72257 00039 9		
171	21A00-2CAT	Omni LT Board Only – Catalan	Omni LT controller board only. Catalan	8 72257 00616 2		
172	21A00-2FR	Omni LT Board Only – French	Omni LT controller board only. French	8 72257 00617 9		
173	21A00-2IT	Omni LT Board Only - Italian	Omni LT controller board only - Italian (Text and Voice)	8 72257 00533 2		
174	21A00-2SPA	Omni LT Board Only - LA Spanish	Omni LT controller board only. Spanish for Latin America	8 72257 00618 6		
175	21A00-2SPE	Omni LT Board Only – Euro Spanish	Omni LT controller board only. Spanish for Europe	8 72257 00619 3		
176	21A03-1UPG	Omni LT ChipUpgrade - English	EPROM chip upgrade with installation instructions.	8 72257 00041 2		
177	21A05-2	Serial PC Cable	7 foot cable, modular to DB-9F - connects controller serial ports to computer RS-232 port for use with PC Access, WebLink and Media Center.	8 72257 00042 9		
178	21A06-1	Enclosure Lock and 2 Keys	Lock for enclosure, two keys.	8 72257 00043 6		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
179	21A07-2	Omni LT Mounting Plate	Mounting plate, hardware kit, & instructions. Used to mount Omni LT controllers in Leviton and "Open House" type structured wiring enclosures.	8 72257 00044 3	http://homeauto.com/SiteElements/images/press/21A07-2.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniLT/OmniLT.pdf
180	21A10-1	CE Conversion kit for HAI Omni LT Controllers	UL/FCC compliance label for CE, Cable ties, Cable tie mounts, Shock Stickers, CE stickers, Directions.	8 72257 00045 0		
181	22A00-1	Omni LT Expansion Module	16 zones plus 8 voltage output expansion module w/ accessory kit.	8 72257 00046 7	http://homeauto.com/SiteElements/images/press/LT%20Expander2C.tif%20300%20dpi.tif	http://homeauto.com/Downloads/Products/AutomationControllers/OmniLT/OmniLT.pdf
182	23A00-1	Omnistat Surface Remote Indoor Temp Sensor	Surface indoor temperature sensor for Omnistat thermostats.	8 72257 00049 8	http://homeauto.com/SiteElements/images/Press/Remote%20Temp%20Sensors.jpg	
183	23A00-2	Omnistat Flush Mount Remote Indoor Temp Sensor	Flush indoor temperature sensor for Omnistat thermostats.	8 72257 00050 4	http://homeauto.com/SiteElements/images/Press/Remote%20Temp%20Sensors.jpg	
184	25A00-1	ALC Interface, 1 branch	1 branch ALC Hardwire Lighting Control Interface.	8 72257 00052 8		
185	25A00-2	ALC Interface, 4 branch	4 branch ALC Hardwire Lighting Control Interface.	8 72257 00106 8		
186	26A00-5	Freeze Watch Sensor	Sensor from -40° to 120°F. Also includes separate isolated contacts with snap action switch designed to activate heating circuit at 42°F. Use as backup to activate heat in areas prone to damage by freezing.	8 72257 00540 0	http://homeauto.com/SiteElements/images/Press/26A00-5.tif	
187	27A00-2	Omni LT Demo Adapter Kit	Demo adapter board, instructions.	8 72257 00054 2		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
188	28A00-1	Surface Speaker Microphone	Speaker and microphone, surface mount enclosure, instructions.	8 72257 00056 6	http://homeauto.com/SiteElements/images/press/SpeakersMic.jpg	
189	28A00-2	Flush Speaker Microphone	Speaker and microphone, flush mount enclosure, instructions.	8 72257 00057 3	http://homeauto.com/SiteElements/images/press/SpeakersMic.jpg	
190	29A00-1	Omnistat Thermostat Isolation Module	Omnistat Relay isolation module for Omnistat2 and RC series thermostats, mounting clips, instructions. Used for HVAC systems using non-standard voltages.	8 72257 00058 0		
191	30A00-2	Thermostat Power Supply Module	The 30A00-2 works with the Omnistat2 and RC series thermostats. This optional power booster may be needed in retrofit applications when "HVAC common" wire is not available. Instructions included. Replaces 30A00-1.	8 72257 00467 0		
192	31A00-7	Extended Range Indoor/Outdoor Temperature Sensor	Extended range indoor/outdoor temperature sensor from -40° to 120°F, accessory kit, instructions.	8 72257 00238 6	http://homeauto.com/SiteElements/images/press/tem p%20&%20hum%20sensor.jpg	
193	31A00-8	Extended Range Indoor/Outdoor Temperature & Humidity Sensor	Extended range indoor/outdoor temperature from -40° to 120° F and humidity sensor, accessory kit, instructions.	8 72257 00239 3	http://homeauto.com/SiteElements/images/press/tem p%20&%20hum%20sensor.jpg	
194	32A30-1	Touchscreen Hub with Video in Enclosure	Touchscreen Hub with Video Encoder in Enclosure includes power supply [60 HZ, 120 VAC], instructions.	8 72257 00248 8	http://homeauto.com/SiteElements/images/press/32A30-1.tif	http://homeauto.com/Downloads/Products/Surveillance/EncoderTechSheet.pdf
195	32A30-2	Touchscreen Hub with Video on Mounting Plate	Touchscreen Hub with Video Encoder on Universal Mounting Plate includes power supply [60 HZ, 120 VAC], instructions	8 72257 00248 5	http://homeauto.com/SiteElements/images/32A30-2.tif	http://homeauto.com/Downloads/Products/Surveillance/EncoderTechSheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
196	32A30-3	Touchscreen Hub, no video, in Enclosure	Touchscreen Hub in Enclosure, includes power supply [60 HZ, 120 VAC, instructions.	8 72257 00249 2	http://homeauto.com/SiteElements/images/Products/OmniAndOmniProAccessories/TouchscreenHubEnclosure.tif	http://homeauto.com/Downloads/Products/Surveillance/EncoderTechSheet.pdf
197	32A30-4	Touchscreen Hub, no video, on Mounting Plate	Touchscreen Hub on Universal Mounting Plate includes power supply [60 HZ, 120VAC] and instructions.	8 72257 00250 8	http://homeauto.com/SiteElements/images/Products/OmniAndOmniProAccessories/TouchScreenHub.tif	http://homeauto.com/Downloads/Products/Surveillance/EncoderTechSheet.pdf
198	32A31-2	Touchscreen Hub Board Only	Touchscreen Hub Board Only.	8 72257 00252 2	http://homeauto.com/SiteElements/images/press/32A31-2.tif	http://homeauto.com/Downloads/Products/Surveillance/EncoderTechSheet.pdf
199	32A32-1	Video Encoder	Video Encoder circuit board and connector, instructions.	8 72257 00251 5	http://homeauto.com/SiteElements/images/Products/OmniAndOmniProAccessories/Videoencoder.tif	http://homeauto.com/Downloads/Products/Surveillance/EncoderTechSheet.pdf
200	33A00-1	Omni Console	Omni LCD console, surface mount, silk screen front, connector kit, instructions.	8 72257 00065 8	http://homeauto.com/SiteElements/images/Press/33A00-1Hi.jpg	
201	33A00-19	Lumina Keypad	Lumina LCD surface mount console, silk screen front, connector kit, instructions for Lumina, Lumina Pro.	8 72257 00244 7	http://homeauto.com/SiteElements/images/press/LuminaKeypadRev.tif	
202	33A00-1CS	Omni Console - Case Lot of 12	Case Of 12, 33A00-1, Omni LCD console, surface mount, silk screen front, connector kit, instructions.	8 72257 00113 6	http://homeauto.com/SiteElements/images/Press/33A00-1Hi.jpg	

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
203	33A00-20	Lumina Keypad with built in Speaker/Microphone	Lumina LCD surface mount console with built in speaker/microphone, silk screen front, connector kit, instructions for Lumina, Lumina Pro.	8 72257 00245 4	http://homeauto.com/SiteElements/images/press/LuminaKeypadRev.tif	
204	33A00-23	International Console	The International Console is equivalent to the standard Omni Console except that it has no silk screen on the front and features universally recognized icons which makes it appropriate for all languages. Surface Mount.	8 72257 00727 5		
205	33A00-24	International Console with built in Speaker/Microphone	The International Console is equivalent to the standard Omni Console except that it has no silk screen on the front and features universally recognized icons which makes it appropriate for all languages. Surface mount. Built in speaker/microphone	8 72257 00759 6		
206	33A00-25	International Lumina Keypad	The International Lumina keypad is equivalent to the standard Lumina keypad except that it has no silk screen on the front and features universally recognized icons which makes it appropriate for all languages. Surface Mount.	8 72257 00801 2		
207	33A00-26	International Lumina Keypad with built in Speaker/Microphone	The International Lumina keypad is equivalent to the standard Lumina keypad except that it has no silk screen on the front and features universally recognized icons which makes it appropriate for all languages. Surface mount. Built in speaker/microphone	8 72257 00802 9		
208	33A00-3	Console\Keypad Flush Mount Kit	White, Flush Mount Back Box, Mounting Brackets, Mounting Hardware, instructions. Use with 33A00-x or 33A00-xx consoles/keypads.	8 72257 00066 5	http://homeauto.com/SiteElements/images/Press/33A00-3Hi.jpg	
209	33A00-4	Omni Console with built in Speaker/Microphone	Omni LCD console, surface mount with built in speaker/microphone, silk screen front, connector kit, instructions.	8 72257 00164 8	http://homeauto.com/SiteElements/images/press/33A00-1Hi.jpg	
210	35A00-1	HLC 600W Dimmer	HLC 600 Watt Dimmer, white paddle, connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00171 6	http://homeauto.com/SiteElements/images/Press/HLC%20600%20watt.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
211	35A00-1CFL	CFL Dimmer	Controls dimmable compact fluorescent light bulbs providing the equivalent of 1500 watts of incandescent brightness. White color. Color Change Kit available.	8 72257 00587 5		
212	35A00-1CFLCS	CFL Dimmer Case of 12	Not released. Not accepting advanced orders. Controls dimmable compact fluorescent light bulbs providing the equivalent of 1500 watts of incandescent brightness. White color. Color Change Kit available. Uses standard Decora wallplate (not included). Case of 12	8 72257 00588 2		
213	35A00-1CS	HLC 600W Dimmer - Case lot of 12	Not released. Not accepting advanced orders. Case of 12, 35A00-1,00 Watt, HLC Dimmers with white paddle. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00175 4	http://homeauto.com/SiteElements/images/Press/HLC%20600%20watt.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
214	35A00-3	HLC 600W Non-Dimming Switch	HLC 600 Watt Switch, Non-Dimming for compact/florescent, white paddle, connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00173 0	http://homeauto.com/SiteElements/images/Press/HLC%20600%20watt.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
215	35A00-3CS	HLC 600W Non-Dimming Switch - Case lot of 12	Case of 12, 35A00-3, 600 Watt, HLC Non-Dimming Switches with white paddle. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00177 4	http://homeauto.com/SiteElements/images/Press/HLC%20600%20watt.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
216	35A14-ALCS	HLC Switch Color Change Kit, Almond, case of 12	Case of 12 Almond Paddles and bezel assembly for HLC 35A00, 37A00 & 40A00 series switches. pieces are not sold individually.	8 72257 00187 7		
217	35A14-BLCS	HLC Switch Color Change Kit, Black, case of 12	Case of 12 Black Paddles and bezel assembly for HLC 35A00, 37A00 & 40A00 series switches. pieces are not sold individually.	8 72257 00188 4		
218	35A14-BRCS	HLC Switch Color Change Kit, Brown, case of 12	Case of 12 Brown Paddles and bezel assembly for HLC 35A00, 37A00 & 40A00 series switches. pieces are not sold individually.	8 72257 00189 1		
219	35A14-GRCS	HLC Switch Color Change Kit, Gray, case of 12	Case of 12 Gray Paddles and bezel assembly for HLC 35A00, 37A00 & 40A00 series switches. pieces are not sold individually.	8 72257 00190 7		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
220	35A14-IVCS	HLC Switch Color Change Kit, Ivory, case of 12	Case of 12 Ivory Paddles and bezel assembly for HLC 35A00, 37A00 & 40A00 series switches. pieces are not sold individually.	8 72257 00186 0		
221	35A14-LTACS	HLC Switch Color Change Kit, Light Almond, case of 12	Case of 12 Light Almond Paddles and bezel assembly for HLC 35A00, 37A00 & 40A00 series switches. pieces are not sold individually.	8 72257 00395 6		
222	35A14-WHCS	HLC Switch Color Change Kit, White, case of 12	Case of 12 White Paddles and bezel assembly for HLC 35A00, 37A00 & 40A00 series switches. pieces are not sold individually.	8 72257 00185 3		
223	36A00-1	HLC PIM and Cable.	HLC Powerline Interface Module with cable for Lumina, Lumina Pro, OmniPro II, Omni IIe, Omni LT; serial ports, instructions. HAI's lighting control products work with 110V power only.	8 72257 00191 4	http://homeauto.com/SiteElements/images/Press/HLC%20PIM.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
224	36A00-1CS	HLC PIM and Cable - case of 12	Case of 12, 36A00-1, HLC Powerline Interface Module. HAI's lighting control products work with 110V power only.	8 72257 00192 1	http://homeauto.com/SiteElements/images/Press/HLC%20PIM.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
225	36A05-2	Powerline Interface Module (PIM) to computer cable	7 foot cable connects HAI Powerline Interface Module to computer RS-232 port for use with UPStart software.	8 72257 00115 0		
226	36A05-4	Serial Connectivity Cable	7 foot cable, modular to DB-9M - connects controller to serial ports for Russound, NuVo, RadioRA, Centralite, Jandy.	8 72257 00243 0		
227	36A10-1	HLC Expansion Kit for Omni LT	Serial Interface, cable & Powerline Interface Module to add HLC to Omni LT.	8 72257 00237 9	http://homeauto.com/SiteElements/images/press/36A10-1.tif	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
228	37A00-1	HLC Auxiliary Switch	HLC White Auxiliary switch for remote operation of 35A00 and 40A00 series dimmers and switches; connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00193 8	http://homeauto.com/SiteElements/images/Press/HLC%20600%20watt.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
229	37A00-1CS	HLC Auxiliary Switch - case of 12	Case of 12, 37A00-1, HLC White Auxiliary switch for remote operation of 35A00 and 40A00 series dimmers and switches; connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00194 5	http://homeauto.com/SiteElements/images/Press/HLC%20600%20watt.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
230	38A00-1	HLC Scene Switch - 6 button	HLC Scene Switch, 6 button UPBtm with blue LED indicators, white bezel, connectors, instructions. HAI's lighting control products work with 110V power only.	8 72257 00195 2	http://homeauto.com/SiteElements/images/Press/HLC%20room%20control.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
231	38A00-1CS	HLC Scene Switch - 6 button - case of 12	Case of 12, 38A00-1, HLC Scene Switch - 6 button, white bezel. HAI's lighting control products work with 110V power only.	8 72257 00197 6	http://homeauto.com/SiteElements/images/Press/HLC%20room%20control.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
232	38A00-2	HLC House Status Switch - 8 button	HLC House Status Switch, 8 button with blue LED indicators, white bezel, connectors, instructions. HAI's lighting control products work with 110V power only.	8 72257 00196 9	http://homeauto.com/SiteElements/images/Press/HLC%20house%20control.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
233	38A00-2CS	HLC House Status Switch - 8 button - case of 12	Case of 12, 38A00-2, HLC House Status Switch - 8 button, white bezel. HAI's lighting control products work with 110V power only.	8 72257 00198 3	http://homeauto.com/SiteElements/images/Press/HLC%20house%20control.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
234	38A00-3	Lumina Mode Switch	Lumina Mode Switch, 6 button overlay, white bezel, connectors, instructions. Wallplate not included. Designed for 60HZ, 120VAC.	8 72257 00282 9	http://homeauto.com/SiteElements/images/Press/38A00-3.tif	http://homeauto.com/Downloads/Products/AutomationControllers/LuminaPro/LuminaPro_TechSheet.pdf
235	38A04-ALCS	HLC Scene Switch Change Kit, Almond, case of 12	Case of 12 Almond Bezels for HLC 38A00-1 Scene Switch, instructions. pieces are not sold individually.	8 72257 00207 2		

	A	B	C	D	E	F
1	AI Part Numl	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
236	38A04-BLCS	HLC Scene Switch Change Kit, Black, case of 12	Case of 12 Black Bezels for HLC 38A00-1 Scene Switch, instructions. pieces are not sold individually.	8 72257 00208 9		
237	38A04-BRCS	HLC Scene Switch Change Kit, Brown, case of 12	Case of 12 Brown Bezels for HLC 38A00-1 Scene Switch, instructions. pieces are not sold individually.	8 72257 00209 6		
238	38A04-GRCS	HLC Scene Switch Change Kit, Gray, case of 12	Case of 12 Gray Bezels for HLC 38A00-1 Scene Switch, instructions. pieces are not sold individually.	8 72257 00210 2		
239	38A04-IVCS	HLC Scene Switch Change Kit, Ivory, case of 12	Case of 12 Ivory Bezels for HLC 38A00-1 Scene Switch, instructions. pieces are not sold individually.	8 72257 00206 5		
240	38A04-LTACS	HLC Scene Switch Change Kit, Light Almond, case of 12	Case of 12 Light Almond Bezels for HLC 38A00-1 Scene Switch, instructions. pieces are not sold individually.	8 72257 00396 3		
241	38A04-WHCS	HLC Scene Switch Change Kit, White, case of 12	Case of 12 White Bezels for HLC 38A00-1 Scene Switch, instructions. pieces are not sold individually.	8 72257 00205 8		
242	38A05-ALCS	HLC House Status Switch Change Kit, Almond, case of 12	Case of 12 Almond Bezels for HLC 38A00-2 House Status Switch, instructions. pieces are not sold individually.	8 72257 00219 5		
243	38A05-BLCS	HLC House Status Switch Change Kit, Black, case of 12	Case of 12 Black Bezels for HLC 38A00-2 House Status Switch, instructions. pieces are not sold individually.	8 72257 00220 1		
244	38A05-BRCS	HLC House Status Switch Change Kit, Brown, case of 12	Case of 12 Brown Bezels for HLC 38A00-2 House Status Switch, instructions. pieces are not sold individually.	8 72257 00221 8		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
245	38A05-GRCS	HLC House Status Switch Change Kit, Gray, case of 12	Case of 12 Gray Bezels for HLC 38A00-2 House Status Switch, instructions. pieces are not sold individually.	8 72257 00222 5		
246	38A05-IVCS	HLC House Status Switch Change Kit, Ivory, case of 12	Case of 12 Ivory Bezels for HLC 38A00-2 House Status Switch , instructions. pieces are not sold individually.	8 72257 00218 8		
247	38A05-LTACS	HLC House Status Switch Change Kit, Light Almond, case of 12	Case of 12 Light Almond Bezels for HLC 38A00-2 House Status Switch, instructions. pieces are not sold individually.	8 72257 00397 0		
248	38A05-WHCS	HLC House Status Switch Change Kit, White, case of 12	Case of 12 White Bezels for HLC 38A00-2 House Status Switch, instructions. pieces are not sold individually.	8 72257 00217 1		
249	38A06-2	HLC Custom Legend Kit for Scene or House Status Switch	Coupon & instructions for custom laser engraved buttons on overlay for HLC 6 button Scene Switch or 8 button House Status Switch.	8 72257 00236 2		
250	38A14-1	HLC Scene Switch Remote	Remote control for Scene Switch 38A00-1, white.	8 72257 00387 1	http://homeauto.com/SiteElements/images/press/38A14-1.tif	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
251	38A15-BL	HLC Table Top Scene Switch Cradle, Black	Table Top Scene Switch Cradle, Black, used to mount Scene Switch, House Status Switch or Lumina Mode Switch.	8 72257 00402 1	http://homeauto.com/SiteElements/images/press/38A15-BL.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
252	38A15-WH	HLC Table Top Scene Switch Cradle, White	Table Top Scene Switch Cradle, White, used to mount Scene Switch, House Status Switch or Lumina Mode Switch.	8 72257 00401 4	http://homeauto.com/SiteElements/images/press/38A15-WH.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
253	38A16-BL	HLC Table Top Scene Switch, Black	HLC Table Top Scene Switch, Black, includes Scene Switch with black bezel, mounted in Table Top Cradle with 6 ft. cord. HAI's lighting control products work with 110V power only.	8 72257 00414 4		http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
254	38A16-WH	HLC Table Top Scene Switch, White	HLC Table Top Scene Switch, White, includes Scene Switch, mounted in Table Top Cradle with 6 ft. cord. HAI's lighting control products work with 110V power only.	8 72257 00415 1		http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
255	39A00-1	HLC Phase Coupler	HLC Phase Coupler, for 120/240V electrical systems.	8 72257 00223 2	http://homeauto.com/SiteElements/images/Press/HLC%20Phase%20coupler.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
256	39A00-1CS	HLC Phase Coupler case of 12	Case of 12, 39A00-1, HLC Phase Coupler for 120/240V electrical systems.	8 72257 00224 9	http://homeauto.com/SiteElements/images/Press/HLC%20Phase%20coupler.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
257	39A00-2	UPB Split Phase Repeater	The HAI UPB™ Split-Phase Repeater (SPR) enhances the communication reliability between UPB devices by taking UPB™ messages transmitted on one phase (leg) of a 120/240VAC split-phase electrical system and strongly repeating them on to the other phase (leg).	8 72257 00648 3	http://homeauto.com/SiteElements/images/press/39A00-2.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
258	39A00-3	UPB Three Phase Repeater	The HAI UPB™ Three-Phase Repeater (TPR) enables communication between UPB devices on a three-phase 120/208VAC delta-wye, 60Hz electrical system. The main purpose of the TPR is to transfer UPB™ multi-packet messages transmitted on one phase (leg) of the electrical system and strongly repeating them on to the other phases (legs) to ensure proper communication.	8 72257 00649 0	http://homeauto.com/SiteElements/images/press/39A00-3.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
259	40A00-1	HLC 15A Relay Switch	HLC 15A Relay Switch for motors & fans, white paddle, connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00225 6	http://homeauto.com/SiteElements/images/Press/HLC%20600%20watt.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
260	40A00-1CS	HLC 15A Relay Switch - case of 12	Case of 12, 40A00-1, HLC 15A Relay Switch, white paddle. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00226 3	http://homeauto.com/SiteElements/images/Press/HLC%20600%20watt.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
261	42A00-2	Wireless Receiver for GE InterLogix	64 Zone wireless receiver for GE/ITI/Caddx transmitters, instructions.	8 72257 00229 4	http://homeauto.com/SiteElements/images/press/42A00-2.tif	
262	44A00-1	Lumina Controller in Enclosure - English	Lumina Controller in enclosure with lock & keys, LCD console, Powerline Interface Module & cable, phase coupler, serial cable, transformer & battery, manuals & accessories is designed for 110V power only.	8 72257 00228 7	http://homeauto.com/SiteElements/images/press/Luminaopen.tif	http://homeauto.com/Downloads/Products/AutomationControllers/Lumina/Lumina_TechSheet.pdf
263	44A00-2	Lumina Pro Controller in Enclosure - English	Lumina Pro Controller in enclosure with lock & keys, LCD console, Powerline Interface Module & cable, phase coupler, serial cable, transformer & battery, manuals, & accessories is designed for 110V power only.	8 72257 00227 0	http://homeauto.com/SiteElements/images/press/LuminaProopen.tif	http://homeauto.com/Downloads/Products/AutomationControllers/LuminaPro/LuminaPro_TechSheet.pdf
264	44A00-22	Lumina Pro Controller; Intl; in enclosure; English	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories	8 72257 00757 2		
265	44A00-22AR	Lumina Pro Controller; Intl; in enclosure; Arabic	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. Arabic	8 72257 00xxx x		
266	44A00-22CAT	Lumina Pro Controller; Intl; in Enclosure; Catalan	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. Catalan	8 72257 00767 1		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
267	44A00-22CHS	Lumina Pro Controller; Intl; in Enclosure; Simplified Chinese	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. English firmware; manuals and door label in Simplified Chinese.	8 72257 00769 5		
268	44A00-22CHT	Lumina Pro Controller; Intl; in Enclosure; Traditional Chinese	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. Controller contains English firmware; manual and door label in Traditional Chinese.	8 72257 00768 8		
269	44A00-22FR	Lumina Pro Controller; Intl; in Enclosure; French	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. French	8 72257 00763 3		
270	44A00-22GER	Lumina Pro Controller; Intl; in Enclosure; German	Lumina controller in enclosure with lock and keys, German; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		
271	44A00-22HE	Lumina Pro Controller; Intl; in enclosure; Hebrew	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. Hebrew	8 72257 00xxx x		
272	44A00-22IT	Lumina Pro Controller; Intl; in Enclosure; Italian	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. Italian	8 72257 00764 0		
273	44A00-22POR	Lumina Pro Controller; Intl; in Enclosure; Portuguese	Lumina controller in enclosure with lock and keys, Portuguese; Lumina international keypad, serial cable, manuals, and accessories. Lighting for 220-240V~, 50Hz. Bundle includes these Omni-Bus components designed for international use; not for use in the U.S.: four 400W dimmers; two 2-Button wall switches; Interface translator din rail; splitter box 8-way din rail; jumper plug [one pack of ten]; termination plug; bus power supply 2.5A din rail; bus power supply interface 2A din rail. Does not include battery, transformer, PIM, or phase coupler.	8 72257 00xxx x		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
274	44A00-22RU	Lumina Pro Controller; Intl; in enclosure; Russian	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. Russian	8 72257 00xxx x		
275	44A00-22SPA	Lumina Pro Controller; Intl; in Enclosure; Latin American Spanish	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. Spanish for Latin America	8 72257 00766 4	http://homeauto.com/ Site Elements/images/press/LuminaProopen.tif	http://homeauto.com/Downloads/Products/AutomationControllers/LuminaPro/LuminaPro_TechSheet.pdf
276	44A00-22SPE	Lumina Pro Controller; Intl; in Enclosure; European Spanish	Lumina Pro Controller in enclosure with lock & keys, LCD console, serial cable, manuals & accessories. Spanish for Europe.	8 72257 00765 7		
277	44A00-23	Lumina Pro Controller; Intl; on Backplate; English	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories	8 72257 00758 9		
278	44A00-23AR	Lumina Pro Controller; Intl; on Backplate; Arabic	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Arabic	8 72257 00xxx x		
279	44A00-23CAT	Lumina Pro Controller; Intl; on Backplate; Catalan	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Catalan	8 72257 00774 9		
280	44A00-23CHS	Lumina Pro Controller; Intl; on Backplate; Simplified Chinese	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Controller contains English firmware; manual in Simplified Chinese.	8 72257 00776 3		
281	44A00-23CHT	Lumina Pro Controller; Intl; on Backplate; Traditional Chinese	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Controller contains English firmware; manual in Traditional Chinese.	8 72257 00775 6		
282	44A00-23FR	Lumina Pro Controller; Intl; on Backplate; French	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. French	8 72257 00770 1		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
283	44A00-23GER	Lumina Pro Controller; Intl; on Backplate; German	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. German	8 72257 00xxx x		
284	44A00-23HE	Lumina Pro Controller; Intl; on Backplate; Hebrew	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Hebrew	8 72257 00xxx x		
285	44A00-23IT	Lumina Pro Controller; Intl; on Backplate; Italian	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Italian	8 72257 00771 8		
286	44A00-23POR	Lumina Pro Controller; Intl; on Backplate; Portuguese	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Portuguese	8 72257 00xxx x		
287	44A00-23RU	Lumina Pro Controller; Intl; on Backplate; Russian	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Russian	8 72257 00xxx x		
288	44A00-23SPA	Lumina Pro Controller; Intl; on Backplate; Latin American Spanish	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Spanish for Latin America	8 72257 00773 2	http://homeauto.com/ Site Elements/images/press/44A00-23.tif	http://homeauto.com/Downloads/Products/AutomationControls/LuminaPro/LuminaPro_TechSheet.pdf
289	44A00-23SPE	Lumina Pro Controller; Intl; on Backplate; European Spanish	Lumina Pro Controller on backplate for structured wiring enclosures, LCD console, serial cable, manuals & accessories. Spanish for Europe.	8 72257 00772 5		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
290	44A00-3	Lumina Controller on Backplate - English	Lumina Controller on backplate, LCD console, Powerline Interface Module & cable, phase coupler, serial cable, transformer & battery, manuals & accessories is designed for 110V power only.	8 72257 00456 4	http://homeauto.com/ Site Elements/images/press/Luminaopen.tif	http://homeauto.com/Downloads/Products/AutomationControllers/Lumina/Lumina_TechSheet.pdf
291	44A00-4	Lumina Pro Controller on Backplate - English	Lumina Pro Controller on backplate, LCD console, Powerline Interface Module & cable, phase coupler, serial cable, transformer & battery, manuals & accessories is designed for 110V power only.	8 72257 00xxx x	http://homeauto.com/ Site Elements/images/press/LuminaProopen.tif	http://homeauto.com/Downloads/Products/AutomationControllers/LuminaPro/LuminaPro_TechSheet.pdf
292	44A01-1	Lumina Telephone Access Kit	Lumina Telephone Access Kit; RJ31X cord and jack for Lumina, Lumina Pro.	8 72257 00284 3	http://homeauto.com/ Site Elements/images/press/44A01-1.tif	http://homeauto.com/Downloads/Products/AutomationControllers/LuminaPro/LuminaPro_TechSheet.pdf
293	44A02-1	Lumina Battery	12V 5AH Replacement Battery for Lumina, Lumina Pro controllers.	8 72257 00280 5	http://homeauto.com/ Site Elements/images/press/44A03-1.tif	http://homeauto.com/Downloads/Products/AutomationControllers/LuminaPro/LuminaPro_TechSheet.pdf
294	44A03-1	Lumina Transformer	24V 40VA Replacement Transformer for Lumina, Lumina Pro controllers.	8 72257 00281 2	http://homeauto.com/ Site Elements/images/press/44A02-1.tif	http://homeauto.com/Downloads/Products/AutomationControllers/LuminaPro/LuminaPro_TechSheet.pdf

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
295	45A00-1	Wireless Receiver - 64 Zone	Wireless 64 zone, 433 MHz receiver with LED display, instructions for HAI transmitters.	8 72257 00230 0	http://homeauto.com/ Site Elements/images/press/45A001.tif	http://homeauto.com/Downloads/Products/HAIWireless/haiwirelesstechsheet.pdf
296	46A00-1	Wireless Door/Window Transmitter	Wireless Door/Window 3 Zone transmitter with tiltswitch, magnet, mounting hardware, battery, instructions. It requires the use of HAI's 64 Zone Wireless Receiver, part number 45A00-1.	8 72257 00231 7	http://homeauto.com/ Site Elements/images/Press/doorWindowTrans.tif	http://homeauto.com/Downloads/Products/HAIWireless/haiwirelesstechsheet.pdf
297	47A00-2	Wireless Quad Pet Immune Motion Detector	Wireless Quad pet-immune motion detector for both security and occupancy detection applications. Supplied with wall and ceiling mount hardware, battery, and instructions. It requires the use of HAI's 64 Zone Wireless Receiver, part number 45A00-1. Replaces 47A00-1.	8 72257 00815 9	http://homeauto.com/ Site Elements/images/Press/HAI%20Quad%20Motion.tif	http://homeauto.com/Downloads/Products/HAIWireless/haiwirelesstechsheet.pdf
298	48A00-1	Wireless 4 Button Keyfob	Wireless 4 Button keyfob with instructions. It requires the use of HAI's 64 Zone Wireless Receiver, part number 45A00-1.	8 72257 00233 1	http://homeauto.com/ Site Elements/images/Press/keyfobnew.tif	http://homeauto.com/Downloads/Products/HAIWireless/haiwirelesstechsheet.pdf
299	50A00-1	Wireless Panic/Alert Pendant	Panic/alert pendant with lanyard, wall mount bracket and belt clip, instructions. It requires the use of HAI's 64 Zone Wireless Receiver, part number 45A00-1.	8 72257 00235 5	http://homeauto.com/ Site Elements/images/Press/HAI_Panic.jpg	http://homeauto.com/Downloads/Products/HAIWireless/haiwirelesstechsheet.pdf

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
300	53A00-1	OmniTouch 5.7 - English	HAI OmniTouch Touchscreen 5.7" LCD with White Faceplate - English	8 72257 00361 1	http://homeauto.com/ Site Elements/images/press/53A00-1.tif	http://homeauto.com/Downloads/Products/Consoles/Touchscreens/OmniTouch5-7TechSheet.pdf
301	53A00-1CAT	OmniTouch 5.7 - Catalan	HAI OmniTouch Touchscreen 5.7" LCD with White Faceplate - Catalan	8 72257 00620 9		
302	53A00-1FR	OmniTouch 5.7 - French	HAI OmniTouch Touchscreen 5.7" LCD with White Faceplate - French	8 72257 00621 6		
303	53A00-1IT	OmniTouch 5.7 - Italian	HAI OmniTouch Touchscreen 5.7" LCD with White Faceplate - Italian (Icons)	8 72257 00536 3		
304	53A00-1SPA	OmniTouch 5.7 - Spanish for Latin America	HAI OmniTouch Touchscreen 5.7" LCD with White Faceplate - Spanish for Latin America	8 72257 00441 0	http://homeauto.com/ Site Elements/images/press/53A00-5.tif	http://homeauto.com/Downloads/Products/Consoles/Touchscreens/OmniTouch5-7TechSheet.pdf
305	53A00-1SPE	OmniTouch 5.7 - Euro Spanish	HAI OmniTouch Touchscreen 5.7" LCD with White Faceplate - Spanish for Europe	8 72257 00622 3		
306	53A00-2	OmniTouch 5.7e - English	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - English	8 72257 00362 8	http://homeauto.com/ Site Elements/images/press/53A00-2.tif	http://homeauto.com/Downloads/Products/Consoles/Touchscreens/OmniTouch5-7eTechSheet.pdf
307	53A00-2CAT	OmniTouch 5.7e - Catalan	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - Catalan	8 72257 00623 0		
308	53A00-2CHS	OmniTouch 5.7e - Simplified Chinese	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - for Simplified Chinese.	8 72257 00624 7		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
309	53A00-2CHT	OmniTouch 5.7e – Traditional Chinese	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - for Traditional Chinese.	8 72257 00625 4		
310	53A00-2FR	OmniTouch 5.7e - French	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - French	8 72257 00626 1		
311	53A00-2GER	OmniTouch 5.7e - German	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - German	8 72257 00806 7		
312	53A00-2IT	OmniTouch 5.7e – Italian	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - Italian	8 72257 00627 8		
313	53A00-2POR	OmniTouch 5.7e - Portuguese	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - Portuguese	8 72257 00807 4		
314	53A00-2SPA	OmniTouch 5.7e - Spanish for Latin America	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - Spanish for Latin America	8 72257 00628 5	http://homeauto.com/ Site Elements/images/press/Spa nish57e.tif	http://homeauto.com/Downloads /Products/Consoles/Touchscreens /OmniTouch5-7eTechSheet.pdf
315	53A00-2SPE	OmniTouch 5.7e – Euro Spanish	HAI OmniTouch Touchscreen 5.7e" LCD with White Faceplate - Spanish for Europe	8 72257 00629 2		
316	53A05-AL	OmniTouch 5.7 FacePlate - Almond	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - Almond.	8 72257 00379 6		
317	53A05-BA	OmniTouch 5.7 FacePlate - Black Aluminum	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - Black Aluminum.	8 72257 00666 7		
318	53A05-BL	OmniTouch 5.7 FacePlate - Black	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - Black.	8 72257 00376 5		
319	53A05-BRA	OmniTouch 5.7 FacePlate - Bronze	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - Bronze	8 72257 00736 7		
320	53A05-GA	OmniTouch 5.7 FacePlate - Gold Aluminum	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - Gold Aluminum.	8 72257 00667 4		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
321	53A05-IV	OmniTouch 5.7 Face Plate - Ivory	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - Ivory.	8 72257 00378 9		
322	53A05-LTA	OmniTouch 5.7 FacePlate - Light Almond	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - Light Almond.	8 72257 00398 7		
323	53A05-SA	OmniTouch 5.7 FacePlate - Plain Aluminum	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - PlainAluminum.	8 72257 00665 0		
324	53A05-SL	OmniTouch 5.7 FacePlate - Silver	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - Silver.	8 72257 00399 4		
325	53A05-WH	OmniTouch 5.7 FacePlate - White	HAI OmniTouch Face Plate for Touchscreen 5.7 and 5.7e - White.	8 72257 00377 2		
326	53A17-1	OmniTouch 5.7 TableTop Stand - Black	HAI OmniTouch 5.7 Table Top Stand, Black. Fits 53A00-1 and 53A00-2.	8 72257 00435 9	http://homeauto.com/SiteElements/images/press/Stand.jpg	http://homeauto.com/Downloads/Products/Consoles/Touchscreens/OmniTouch5-7eTechSheet.pdf
327	54A00-1	Access Control Keypad	HAI Stainless Steel Outdoor Keypad designed to interface with HAI home controllers. With cable assembly, instructions	8 72257 00254 6	http://homeauto.com/SiteElements/images/OutdoorKeypad.tif	http://homeauto.com/Downloads/Products/AccessControl/AccessControltechsheet.pdf
328	55A00-1AL	HLC 1000 W Dimmer Switch - Almond	HLC 1000 Watt Dimmer, almond paddle, connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00257 7		http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
329	55A00-1BL	HLC 1000 W Dimmer Switch - Black	HLC 1000 Watt Dimmer, black paddle, connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00258 4		http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
330	55A00-1BR	HLC 1000 W Dimmer Switch - Brown	HLC 1000 Watt Dimmer, brown paddle, connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00259 1		http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
331	55A00-1IV	HLC 1000 W Dimmer Switch - Ivory	HLC 1000 Watt Dimmer, ivory paddle, connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00256 0		http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
332	55A00-1WH	HLC 1000 W Dimmer Switch - White	HLC 1000 Watt Dimmer, white paddle, connectors, instructions. Wallplate not included. HAI's lighting control products work with 110V power only.	8 72257 00255 3	http://homeauto.com/SiteElements/images/press/HLC1000W.tif	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
333	55A00-2IV	HLC 1500 W Dimmer Switch - Ivory	HLC 1500 Watt Dimmer, ivory paddle, connectors, instructions. Order Wallplate separately. HAI's lighting control products work with 110V power only.	8 72257 00262 1		http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
334	55A00-2WH	HLC 1500 W Dimmer Switch - White	HLC 1500 Watt Dimmer, white paddle, connectors, instructions. Order Wallplate separately. HAI's lighting control products work with 110V power only.	8 72257 00261 4	http://homeauto.com/SiteElements/images/Products/HLC/HLC1500W.tif	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
335	55A00-3IV	HLC 2400 W Dimmer Switch - Ivory	HLC 2400 Watt Dimmer, ivory paddle, connectors, instructions. Order Wallplate separately. HAI's lighting control products work with 110V power only.	8 72257 00268 3		http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
336	55A00-3WH	HLC 2400 W Dimmer Switch - White	HLC 2400 Watt Dimmer, ivory paddle, connectors, instructions. Order Wallplate separately. HAI's lighting control products work with 110V power only.	8 72257 00267 6	http://homeauto.com/SiteElements/images/Products/HLC/HLC2400W.tif	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
337	55A02-1	HLC 1500 W Dimmer Wallplate - White	HLC 1500 Watt Dimmer Wallplate - White.	8 72257 00295 9	http://homeauto.com/ Site Elements/images/press/55A02-1.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
338	55A02-2	HLC 1500 W Dimmer Wallplate - Ivory	HLC 1500 Watt Dimmer Wallplate - Ivory.	8 72257 00296 6	http://homeauto.com/ Site Elements/images/press/55A02-2.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
339	55A03-1	HLC 2400 W Dimmer Wallplate - White	HLC 2400 Watt Dimmer Wallplate - White.	8 72257 00297 3	http://homeauto.com/ Site Elements/images/press/55A03-1.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
340	55A03-2	HLC 2400 W Dimmer Wallplate - Ivory	HLC 2400 Watt Dimmer Wallplate - Ivory.	8 72257 00298 0	http://homeauto.com/ Site Elements/images/press/55A03-2.jpg	http://homeauto.com/Downloads/Products/HLC/HLC_TechSheet.pdf
341	56A00-1	Wireless Recessed Door and Window Contact	Wireless Recessed Door and Window Contact requires the use of HAI's 64 Zone Wireless Receiver, part number 45A00-1.	8 72257 00290 4	http://homeauto.com/ Site Elements/images/press/56A00-1.tif	http://homeauto.com/Downloads/Products/HAI/Wireless/haiwiresstechsheet.pdf
342	57A00-1	Wireless Vanishing Contact	Wireless Vanishing Contact requires the use of HAI's 64 Zone Wireless Receiver, part number 45A00-1.	8 72257 00291 1	http://homeauto.com/ Site Elements/images/press/57A001.jpg	http://homeauto.com/Downloads/Products/HAI/Wireless/haiwiresstechsheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
343	58A00-1	Wireless Mini Door and Window Contact	Wireless Mini Door and Window Contact is a miniature supervised transmitter that comes with a case tamper switch, wall tamper switch, and a replaceable Lithium battery. It requires the use of HAI's 64 Zone Wireless Receiver, part number 45A00-1.	8 72257 00292 8	http://homeauto.com/ Site Elements/images/press/58A00-1.tif	http://homeauto.com/Downloads/Products/HAIWireless/haiwirelesstechsheet.pdf
344	59A00-1	HLC Lamp Module	HLC Plug-in Lamp Module controls lamps up to 300 W. HAI's lighting control products work with 110V power only.	8 72257 00369 7	http://homeauto.com/ Site Elements/images/press/59A00-1.tif	http://homeauto.com/Downloads/Products/HLC/HLC TechSheet.pdf
345	59A00-1CS	HLC Lamp Module - case of 12	Case of 12, 59A00-1, HLC Plug-in Lamp Module controls lamps up to 300 W. HAI's lighting control products work with 110V power only.	8 72257 00370 3	http://homeauto.com/ Site Elements/images/press/59A00-1.tif	http://homeauto.com/Downloads/Products/HLC/HLC TechSheet.pdf
346	60A00-1	HLC Appliance Module	HLC Plug-in Appliance Module controls up to 15 A, general purpose, 1/2 Hp. HAI's lighting control products work with 110V power only.	8 72257 00371 0	http://homeauto.com/ Site Elements/images/Press/59A00-1.tif	http://homeauto.com/Downloads/Products/HLC/HLC TechSheet.pdf
347	60A00-1CS	HLC Appliance Module - case of 12	Case of 12, 60A00-1, HLC Plug-in Appliance Module controls up to 15 A, general purpose, 1/2 Hp. HAI's lighting control products work with 110V power only.	8 72257 00372 7	http://homeauto.com/ Site Elements/images/Press/59A00-1.tif	http://homeauto.com/Downloads/Products/HLC/HLC TechSheet.pdf
348	61A00-1	Wireless Glass Break Detector	Wireless Glass Break Detector requires the use of HAI's 64 Zone Wireless Receiver, part number 45A00-1.	8 72257 00327 7	http://homeauto.com/ Site Elements/images/Press/61A00-1.TIF	http://homeauto.com/Downloads/Products/HAIWireless/haiwirelesstechsheet.pdf

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
349	62A08-1	Hi-Fi by HAI IR Flasher	IR Flasher (emitter) with 6 foot cord works with Hi-Fi 62A00 series. Connects to RIM's routed emitter jack to allow use of source equipment remote in any room that has a VSC.	8 72257 00308 6	http://homeauto.com/SiteElements/images/press/62A08-1.tif	http://homeauto.com/Downloads/Products/Hi-Fi/Hi-FiTechSheet.pdf
350	63A00-1	Wireless Driveway Sensor	Wireless Driveway Sensor can detect a vehicle in the driveway or parking area to activate lighting, video surveillance, and more. Operating range -20 and 120F. Required an HAI 64-zone wireless receiver [45A00-1], sold separately. Two C-cell batteries included.	8 72257 00586 8	http://homeauto.com/SiteElements/images/press/DrivewaySensor.jpg	http://homeauto.com/Downloads/Products/HAIWireless/wirelessdrivewaysensortechsheets.pdf
351	65A18-1	Omnistat2 Trim Ring	White Trim Ring used as a cover-up to retro-fit an Omnistat2 in place of an existing thermostat.	8 72257 00459 5		
352	68A01-1	Indoor Dome Camera	Indoor Dome Camera, Ivory, flush mount housing plus surface mount plate. Can be used with Camera Server 87A00-1 sold separately.	8 72257 00410 6	http://homeauto.com/SiteElements/images/press/68A01-1.tif	
353	68A02-2	Indoor/Outdoor/Day/Night Bullet Camera	Indoor/Outdoor Day/Night Color IR Bullet Camera with bracket. Can be used with HAI Camera Server 87A00-1 sold separately. Replaces the 68A02-1.	8 72257 00803 6	http://homeauto.com/SiteElements/images/press/68A02-1.tif	
354	68A11-1	1.3MP Indoor/Outdoor Mini-Dome IP Camera	1.3 Mega Pixel Indoor/Outdoor Mini Dome IP Camera capable of serving real-time streaming video to various devices. It can be viewed at home or over the Internet on a PC, OmniTouch 5.7e, OmniTouch 10pe, or handheld mobile device, such as PDA, Smartphone, or other device running Windows® Mobile operating system, using HAI Snap-Link Mobile (1120M) or HAI WL3 (1112). Additionally, it can be viewed on an iPhone™ without any additional software.	8 72257 00647 6	http://homeauto.com/SiteElements/images/press/68A11-1.jpg	http://homeauto.com/Downloads/Products/Surveillance/IPCameraTechSheet.pdf
355	69A00-1	4-Button Wireless Keypad	4-Button Wireless Keypad can be programmed to control any Omni or Lumina controller and requires the use of HAI's 64 Zone Wireless Receiver, part number 45A00-1.	8 72257 00434 2	http://homeauto.com/SiteElements/images/press/WirelessKeypad.tif	http://homeauto.com/Downloads/Products/HAIWireless/haiwirelesstechsheet.pdf

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
356	70A00-1	Two-Way Cellular Communication Center	Two-Way Cellular Communication Center emulates phone line signal to dial out using your cellular network. Requires GSM SIM card and cellular service. Can be used if land line is not present.	8 72257 00433 5	http://homeauto.com/SiteElements/images/products/OmniAndOmniProAccessories/CCC_Top_hires.tif	http://homeauto.com/Downloads/Products/Accessories/C3Techsheet.pdf
357	71A00-1	HLC Load Control Module	Control the power consumption of high wattage loads such as pool pumps and water heaters, 30 Amp.	8 72257 00442 7	http://homeauto.com/SiteElements/images/Products/EnergyManagement/71A00-1.jpg	http://homeauto.com/Downloads/Products/Load%20Control%20Modules/LoadControlModule_TechSheet.pdf
358	72A00-1	Hardwired Load Control Module	20 Amp Relay Module connects to voltage output on HAI home controllers and expanders. Includes manual override switch and can control 277V lighting ballasts.	8 72257 00443 4	http://homeauto.com/SiteElements/images/Products/EnergyManagement/72A00-1_hires.jpg	http://homeauto.com/Downloads/Products/Load%20Control%20Modules/LoadControlModule_TechSheet.pdf
359	73A00-3ZB	30A Wireless Load Control Module	Wireless controls for water heaters, pool pumps, outdoor fountains, lighting, and more. Ultra low stand-by power. Universal 96-250 VAC and 50/60 Hz. Can be used outdoors. Uses ZigBee to communicate wirelessly.	8 72257 00520 2	http://homeauto.com/SiteElements/images/Press/73A00-3.jpg	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
360	73A00-4ZB	5A Wireless Load Control Module	Controls low voltage circuits in outdoor air conditioning units, pool and spa heaters & pumps, generators, and more. Ultra low stand-by power. Universal 96-250 VAC and 50/60 Hz. Can be used outdoors. Uses ZigBee to communicate wirelessly.	8 72257 00553 0	http://homeauto.com/SiteElements/images/Press/73A00-4.jpg	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
361	74A00-1	Zigbee Gateway I	Allows remote access to the Zigbee wireless energy management system. Adds enhanced programming and logic features.	8 72257 00884 5		

	A	B	C	D	E	F
1	HAI Part Numl	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
362	75A00-1	Access Control Card Reader	125 KHz high security, digitally encrypted, 26-Bit Wiegand proximity card reader that connects to a serial port on an HAI Home Control System for access control. The reader has durable and scratch resistant polycarbonate housing. Full epoxy potting ensures successful operation even in harsh environments. The 75A00-1 can be mounted to metal door frame (mullion) or to any flat wall surface. The two-color LED (green and red) and Piezo sounder guarantee accurate and reliable Door Access operations.	8 72257 00446 5	http://homeauto.com/ Site Elements/images/press/AccessControl.jpg	http://homeauto.com/Downloads/Products/AccessControl/AccessControltechsheet.pdf
363	78A00-1	Access Control Card Pack of 10	125 KHz credit card size 1.7mm thick high security proximity card with fully encrypted format stored on the card. It is thin, flexible, and light enough to be carried in a purse or wallet. It is pre-programmed at the factory with a unique encryption code. It provides a read range, up to 4 inches.	8 72257 00447 2	http://homeauto.com/ Site Elements/images/press/78A00-1.jpg	http://homeauto.com/Downloads/Products/AccessControl/AccessControltechsheet.pdf
364	78A00-2	Access Control Key Tag Pack of 10	A very small (only 4 grams) 125 KHz high security digitally encrypted proximity key tag. It has a hole for a key ring or chain. It is pre-programmed at the factory with a unique encryption code. It is small and durable enough to fit on a key ring. It provides a read range, up to 2 inches.	8 72257 00448 9	http://homeauto.com/ Site Elements/images/press/keytag.jpg	http://homeauto.com/Downloads/Products/AccessControl/AccessControltechsheet.pdf
365	79A00-1	12VDC Electric Door Strike (Fail Secure)	When used with 75A00-1 Access Control Reader, the 79A00-1 Electric Door Strike securely locks and unlocks a door without the need of a key. It allows the door to be locked when closed, but can be automatically unlocked by the system, or manually unlocked with a key. The 79A00-1 is a 12VDC Fail-Secure device, which means the door unlocks when power is connected (i.e. the door is locked when power fails).	8 72257 00452 6	http://homeauto.com/ Site Elements/images/press/79A00-1.jpg	http://homeauto.com/Downloads/Products/AccessControl/AccessControltechsheet.pdf
366	81A00-2WHZB	MicroControl	Tabletop, bedside, or wall mount display and control for selected HAI controller, Omnistat2, and Load Control Module functions. Comes with two-way RF transceiver and plug-in power supply. Uses ZigBee to communicate wirelessly.	8 72257 00515 8	http://homeauto.com/ Site Elements/images/Press/IHDMainScreen.jpg	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
367	81A00-3WHZB	Wireless Coordinator for HAI Omni & Lumina Controllers	Wireless interface and coordinator for ZigBee products. Plugs into serial port on HAI Omni or Lumina family controller and allows control of HAI Wireless Energy Management Components. Display helps set up and installation of wireless systems. Uses ZigBee wireless communication. Six foot cable included. Powered by the HAI Omni controller.	8 72257 00516 5	http://homeauto.com/SiteElements/images/Press/IHDMainScreen.jpg	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
368	81A00-4WHZB	MicroControl Companion	Functions as a remote controller for the MicroControl.	8 72257 00880 7	http://homeauto.com/SiteElements/images/Press/IHDMainScreen.jpg	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
369	83A00-1	Power Hub in Enclosure	General purpose 12VDC power supply in enclosure provides battery backed power for Access Control Readers with electric or magnetic locks, Omni consoles, OmniTouch 5.7 Touchscreens, and other devices.	8 72257 00495 3	http://homeauto.com/SiteElements/images/press/83A00-1.jpg	http://homeauto.com/Downloads/Products/AccessControl/AccessControltechsheet.pdf
370	83A00-2	Power Hub for Structured Wiring Enclosures	General purpose 12VDC power supply for structured wiring enclosures provides battery backed power for Access Control Readers with electric or magnetic locks, Omni consoles, OmniTouch 5.7 Touchscreens, and other devices.	8 72257 00496 0	http://homeauto.com/SiteElements/images/press/83A00-2.jpg	http://homeauto.com/Downloads/Products/AccessControl/AccessControltechsheet.pdf
371	84A00-1	Music Gateway	A music server/renderer with three independent stereo channels, the Music Gateway lets users select music by artist, title, genre, or playlist. Album art and other metadata can even be viewed. Where a Hi-Fi by HAI or other multi-room audio distribution system is installed, the Music Gateway can be fully integrated. For a clean installation, the Music Gateway is designed for a structured wiring cabinet. It includes WL3 for home control and IP camera integration with remote access including access via smart mobile devices.	8 72257 00465 6	http://homeauto.com/SiteElements/images/Press/84A00-1.jpg	http://homeauto.com/Downloads/Products/MusicGateway/MusicGatewayTechSheet.pdf

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
372	86A00-2	Home Theater Extender 2	This device allows an HAI OmniTouch 5.7e Touchscreen, touchscreen running HAI OmniTouch Pro software, and/or iPhone/iPad to directly control up to (4) IR devices, such as Televisions, DVD players, and other entertainment components. Use serial, digital, and IR ports, as well as, relays to control home theater equipment. When used with OmniTouch 5.7e [53A00-2] or OmniTouch Pro software [1131], HAI Automation Studio design software [1126], sold separately, is required. When used with iPhone/iPad, HAI Snap-Link Mobile for iPhone [1120A], sold separately, is required. The HTX2 can be used with or without an OmniPro II, Omni Iie, Lumina Pro, or Lumina controller.	8 72257 00867 8	http://homeauto.com/SiteElements/images/press/86A00-1.jpg	http://homeauto.com/Downloads/Products/HTX/HtxTechSheet.pdf
373	87A00-1	Camera Server	The 87A00-1 is a 4-channel Camera Server that converts up to 4 analog surveillance camera signals to IP video streams. Cameras can then be viewed at home or over the Internet on a PC, OmniTouch 10pe [94A00-1], OmniTouch 5.7e [53A00-2], or handheld mobile device, such as PDA, Smartphone, or other device running Windows® Mobile operating system, using HAI Snap-Link Mobile or HAI WL3. Additionally, these cameras can be viewed on an iPhone™ when HAI WL3 is used. Can be used with HAI cameras and does not require an HAI Omni or Lumina family Controller.	8 72257 00544 8	http://homeauto.com/SiteElements/images/Products/Surveillance/87A00-1_hires.jpg	http://homeauto.com/Downloads/Products/Surveillance/CameraServer_TechSheet.pdf
374	87A04-1	Universal Mounting Plate Kit for Camera Server	Universal Mounting Plate Kit with hardware is used to mount Camera Server 87A00-1 [sold separately] in Leviton or "open house" type structured wiring enclosures.	8 72257 00546 2	http://homeauto.com/SiteElements/images/press/87A04-1.jpg	http://homeauto.com/Downloads/Products/Surveillance/CameraServer_TechSheet.pdf
375	87A04-2	Universal Mounting Plate Kit for Camera Server with Power Supply	Universal Mounting Plate Assembly, with Camera Power Supply [60 HZ, 120VAC] mounted on the backplate, includes hardware to mount Camera Server, 87A00-1, [sold separately], in Leviton or "open house" type structured wiring enclosures.	8 72257 00547 9	http://homeauto.com/SiteElements/images/press/87A04-2.jpg	http://homeauto.com/Downloads/Products/Surveillance/CameraServer_TechSheet.pdf

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
376	88A00-1ZB	300W Plug-in Load Control Module	Not released. Wireless control for lamps.	8 72257 00583 7	http://homeauto.com/ Site Elements/images/Press/59A00-1.tif	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
377	89A00-1ZB	15A Plug-in Load Control Module	Wireless control for water heaters, pool pumps, outdoor fountains, lighting and more. Uses Zigbee home automation profile. 120VAC/60hz,	8 72257 00522 6	http://homeauto.com/ Site Elements/images/Press/59A00-1.tif	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
378	90A00-1	POE Injector, One Port	One Port, POE Injector, used to power the 5.7e touchscreen, part number 53A00-2 (sold separately)	8 72257 00557 8	http://homeauto.com/ Site Elements/images/Press/90A00-1.jpg	
379	9137111CE	One-Button VoIP Door Station with Camera	This product is made available through an HAI reselling partnership with 2N Telecommunications. 2N Helios VoIP video intercom door station for single-family residential installation. Press the button and it calls IP Touchscreens in the home allowing homeowners to both speak with and see the guest. Connects to the home's Ethernet network; Power over Ethernet (PoE); VoIP SIP protocol, integrated web server; streaming video; water resistant.	8 72257 00804 3	http://homeauto.com/ Site Elements/images/Press/9135110 Door Station.tif	http://homeauto.com/downloads/Products/AccessControl/DoorStationTechSheet.pdf
380	91A00-1	8-Port PoE Network Switch	8-Port PoE Switch used to power up to (7) 5.7e touchscreens, (53A00-2, sold separately) and other Powered Devices (PD), such as the HAI Home Theater Extender (86A00-1, sold separately); PoE IP cameras; PoE Wireless Access Points; PoE Printer, etc.).	8 72257 00565 3	http://homeauto.com/ Site Elements/images/Press/91A00-1.jpg	
381	91A00-2	8-Port PoE Network Switch for Structured Wiring Enclosure	8-Port PoE Switch, for structured wiring enclosures, used to power up to (7) 5.7e touchscreens, (53A00-2, sold separately) and can also be used to power other Powered Devices (PD), such as the HAI Home Theater Extender (86A00-1, sold separately); PoE IP cameras; PoE Wireless Access Points; PoE Printer, etc.).	8 72257 00566 0	http://homeauto.com/ Site Elements/images/Press/91A00-2.jpg	

	A	B	C	D	E	F
1	HAI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
382	93A00-1	Serial Server	RS232/RS485 to TCP/IP converter integrated with a robust system and network management features designed for serial equipment to be accessed and controlled via Intranet or Internet. The 93A00-1 is used to access the NuVo Grand Concerto on an OmniTouch 5.7e and 10pe Touchscreen.	8 72257 00630 8		
383	95A00-1	Hi-Fi 2, 8 Zone-8 Source Kit in Enclosure	Hi-Fi 2, 8 Zone-8 Source Kit in enclosure with Remote. Kit provides (8) Local Source Inputs and includes (4) RIMs (Remote Input Module); use all (8) Local Source Inputs or (4) Local Source Inputs and (4) RIMS or any combination up to a total of (8) Inputs/RIMS. Also includes (8) OLED Display VSCs with digital controls (Volume Source Control) and power cord. Expandable to (16) zones using Expansion Amplifier Kit [sold separately]	8 72257 00668 1	http://homeauto.com/SiteElements/images/Press/MainEnclosure.jpg	http://homeauto.com/Downloads/Products/Hi-Fi/Hi_FiTechSheet.pdf
384	95A00-2	Hi-Fi 2, 8 Zone-8 Source Kit for Structured Wiring Enclosures	Hi-Fi 2, 8 Zone-8 Source Kit on Universal Mounting Plate with Remote. Kit provides (8) Local Source Inputs and includes (4) RIMs (Remote Input Module); use all (8) Local Source Inputs or (4) Local Source Inputs and (4) RIMS or any combination up to a total of (8) Inputs/RIMS. Also includes (8) OLED Display VSCs with digital controls (Volume Source Control) and power cord. Expandable to (16) zones using Expansion Amplifier Kit [sold separately]	8 72257 00669 8	http://homeauto.com/SiteElements/images/Press/95A00-2.jpg	http://homeauto.com/Downloads/Products/Hi-Fi/Hi_FiTechSheet.pdf
385	95A01-1	Hi-Fi 2 Main Amplifier Assembly with power supply	Hi-Fi 2 Main Amplifier Assembly with power supply and power cord. [95A00 series, replacement].	8 72257 00670 4	http://homeauto.com/SiteElements/images/Press/MainAssembly.jpg	http://homeauto.com/Downloads/Products/Hi-Fi/Hi_FiTechSheet.pdf
386	95A03-1	Hi-Fi 2 Volume / Source Control	Hi-Fi 2 Volume Source Control for 95A00 series.	8 72257 00671 1	http://homeauto.com/SiteElements/images/Press/VolumeSourceControl.jpg	http://homeauto.com/Downloads/Products/Hi-Fi/Hi_FiTechSheet.pdf
387	95A04-1	Hi-Fi 2 Remote Input Module	Hi-Fi 2 Remote Input Module for 95A00 series.	8 72257 00672 8	http://homeauto.com/SiteElements/images/Press/RemoteInputModule.jpg	http://homeauto.com/Downloads/Products/Hi-Fi/Hi_FiTechSheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
388	95A04-2	Bluetooth Remote Input Module	Bluetooth devices can connect and act as music servers for your Hi-Fi 2 distributed audio system.	8 72257 00889 0		
389	95A05-1	Hi-Fi 2 Remote Control	Hi-Fi 2 Remote Control for 95A00 series. One included in kit part numbers, 95A00-1 and 95A00-2.	8 72257 00673 5		
390	95A09-1	Hi-Fi 2 Vented Enclosure	Hi-Fi 2 Vented Enclosure [95A00 series, replacement].	8 72257 00675 9		
391	95A10-ALCS	Hi-Fi 2, RIM Color Change Kit-Almond	Hi-Fi 2, RIM Color Change Kit - Almond - Case of 12, pieces are not sold individually.	8 72257 00677 3		
392	95A10-BLCS	Hi-Fi 2, RIM Color Change Kit-Black	Hi-Fi 2, RIM Color Change Kit - Black - Case of 12, pieces are not sold individually.	8 72257 00679 7		
393	95A10-IVCS	Hi-Fi 2, RIM Color Change Kit-Ivory	Hi-Fi 2, RIM Color Change Kit - Ivory - Case of 12, pieces are not sold individually.	8 72257 00681 0		
394	95A10-LTACS	Hi-Fi 2, RIM Color Change Kit-Light Almond	Hi-Fi 2, Rim Color Change Kit - Light Almond - Case of 12, pieces are not sold individually.	8 72257 00683 4		
395	95A10-WHCS	Hi-Fi 2, RIM Color Change Kit-White	Hi-Fi 2, Rim Color Change Kit - White - Case of 12, pieces are not sold individually.	8 72257 00685 8		
396	95A11-ALCS	Hi-Fi 2, VSC Color Change Kit-Almond	Hi-Fi 2, VSC Color Change Kit - Almond - Case of 12, pieces are not sold individually.	8 72257 00687 2		
397	95A11-BLCS	Hi-Fi 2, VSC Color Change Kit-Black	Hi-Fi 2, VSC Color Change Kit - Black - Case of 12, pieces are not sold individually.	8 72257 00689 6		
398	95A11-IVCS	Hi-Fi 2, VSC Color Change Kit-Ivory	Hi-Fi 2, VSC Color Change Kit - Ivory - Case of 12, pieces are not sold individually.	8 72257 00691 9		
399	95A11-LTACS	Hi-Fi 2, VSC Color Change Kit-Light Almond	Hi-Fi 2, VSC Color Change Kit - Light Almond - Case of 12, pieces are not sold individually.	8 72257 00693 3		
400	95A11-WHCS	Hi-Fi 2, VSC Color Change Kit-White	Hi-Fi 2, VSC Color Change Kit - White - Case of 12, pieces are not sold individually.	8 72257 00695 7		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
401	95A12-1	Hi-Fi 2, 8 Zone-Expansion Amplifier Kit in Enclosure	Hi-Fi 2, 8 Zone-Expansion Amplifier Kit in enclosure. Includes expansion Amplifier Assembly [95A18-1], 8 VSC's [95A03-1], power cord, [95A17-1] expansion cable [95A16-1], 2 variable outputs. Mount within 6 inches below Main Amplifier.	8 72257 00696 4	http://homeauto.com/SiteElements/images/Press/ExpanderEnclosure.jpg	http://homeauto.com/Downloads/Products/Hi-Fi/Hi_FiTechSheet.pdf
402	95A12-2	Hi-Fi 2, 8 Zone-Expansion Amplifier Kit for Structured Wiring Enclosures	Hi-Fi 2, 8 Zone-Expansion Amplifier Kit on Universal Mounting Plate. Includes expansion Amplifier Assembly [95A18-1], 8 VSC's [95A03-1], power cord, [95A17-1] expansion cable [95A16-1], 2 variable outputs. Mount within 6 inches below Main Amplifier.	8 72257 00697 1	http://homeauto.com/SiteElements/images/Press/MainExpander.jpg	http://homeauto.com/Downloads/Products/Hi-Fi/Hi_FiTechSheet.pdf
403	95A13-1	Hi-Fi 2 Retractable Cable	Hi-Fi 2 Retractable 3.5 mm to 2 RCA Patch cable, white. Fully extended to 4 ft. Used to connect TVs, CD players, home theater and stereo components to Hi-Fi's RIM. Can be used with 95A00 and 62A00 series.	8 72257 00747 3	http://homeauto.com/SiteElements/images/Press/62A13-1.tif	http://homeauto.com/Downloads/Products/Hi-Fi/Hi_FiTechSheet.pdf
404	95A14-1	Hi-Fi 2 Retractable Cable	Hi-Fi 2 Retractable 3.5 mm male to 3.5 mm male stereo patch cable, white. Fully extended to 4 ft. Used to connect MP3 players, iPods, computers with headphones and/or audio outputs to Hi-Fi's RIM. Can be used with 95A00 and 62A00 series.	8 72257 00748 0	http://homeauto.com/SiteElements/images/Press/62A14-1.tif	http://homeauto.com/Downloads/Products/Hi-Fi/Hi_FiTechSheet.pdf
405	95A16-1	Hi-Fi 2 Expansion Cable Assembly	Hi-Fi 2 Expansion Cable Assembly, replacement. Included with 95A12-1 and 95A12-2.	8 72257 00698 8		
406	95A18-1	Hi-Fi 2 Expansion Amplifier Assembly with power supply	Hi-Fi 2 Expansion Amplifier Assembly replacement board with power supply, power cord, and 2 variable outputs; part of the 95A12-1 and 95A12-2.	8 72257 00700 8		
407	95A20-1	Single-Gang Switch Box, Metal, with Cover	Single-gang, metal box with holes and knockouts for mounting to desired surface; includes metal cover with screws to mount cover onto single-gang box; no other mounting accessories included. Can accommodate HiFi Volume Source Controls (VSC) and Remote Input Modules (RIM); Omni-Bus wall switches and wall mounted remote controls; single-gang UPB switches.	8 72257 00850 0		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
408	96A00-1	Ipod Dock – Wired US	HAI Dock compatible with iPod, iPod Touch, and iPhone. Allows users to access music and content that is on an iPod through IP enabled devices, such as HAI OmniTouch 5.7e and 10pe touchscreens and Hi-Fi2 audio distribution systems, over a wired 10/100 LAN network. Charges iPod battery when docked and has a 3.5mm audio output jack to connect audio as a source into a distribution system. For use in North America.	8 72257 00855 5	http://homeauto.com/_SiteElements/images/Press/HAI_Dock.jpg	http://homeauto.com/Downloads/Products/Dock/HAI_Dock.pdf
409	96A00-2	Ipod Dock – Wireless US	HAI Dock compatible with iPod, iPod Touch, and iPhone. Allows users to access music and content that is on an iPod through IP enabled devices, such as HAI OmniTouch 5.7e and 10pe touchscreens and Hi-Fi2 audio distribution systems, over a wired 10/100 LAN or wireless 802.11 b/g network. Charges iPod battery when docked and has a 3.5mm audio output jack to connect audio as a source into a distribution system. For use in North America.	8 72257 00856 2	http://homeauto.com/_SiteElements/images/Press/HAI_Dock.jpg	http://homeauto.com/Downloads/Products/Dock/HAI_Dock.pdf
410	96A00-3	Ipod Dock – Wireless EU	HAI Dock compatible with iPod, iPod Touch, and iPhone. Allows users to access music and content that is on an iPod through IP enabled devices, such as HAI OmniTouch 5.7e and 10pe touchscreens and Hi-Fi2 audio distribution systems, over a wired 10/100 LAN or wireless 802.11 b/g network. Charges iPod battery when docked and has a 3.5mm audio output jack to connect audio as a source into a distribution system. For use outside North America.	8 72257 00857 9		
411	96A00-4	Ipod Dock - Wired - EU	HAI Dock compatible with iPod, iPod Touch, and iPhone. Allows users to access music and content that is on an iPod through IP enabled devices, such as HAI OmniTouch 5.7e and 10pe touchscreens and Hi-Fi2 audio distribution systems, over a wired 10/100 LAN network. Charges iPod battery when docked and has a 3.5mm audio output jack to connect audio as a source into a distribution system. For use outside North America.	8 72257 00858 6		
412	96A01-1	HAI Dock Power Supply US	HAI Dock plug-in power adapter for North America is a replacement for the unit supplied with Ipod Dock.	8 72257 00859 3		
413	96A01-2	HAI Dock Power Supply EU	HAI Dock universal switching power supply (Input: 100-240VAC, 50-60Hz) for international markets. Comes with power cords for EU and UK. Replacement for the unit supplied with Ipod Dock.	8 72257 00860 9		

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
414	97A00-1	KNX Gateway	KNX Gateway allows Omni and Lumina controllers [not LT] to communicate with/control KNX devices installed on the network.	8 72257 00883 8		
415	HAI-11	Building Energy Management Bundle	Description: Contains 1120 Snap-Link Software on USB drive (1); 35A00-1CS HLC 600W Dimmer - Case lot of 12 (1); 44A00-1 Lumina Controller in Enclosure - English (1); 45A00-1 Wireless Receiver - 64 Zone (1); 47A00-2 Wireless Quad Pet Immune Motion Detector (4); 48A00-1 Wireless 4 Button Keyfob (2); 58A00-1 Wireless Mini Door and Window Contact (4); 73A00-3ZB 30A Wireless Load Control Module (1); 81A00-3WHZB Wireless Coordinator for HAI Omni & Lumina Controllers (1); 89A00-1ZB 15A Plug-in Load Control Module (2); RC-2000WHZB Omnistat2 Multistage & Heat Pump with Humidity Control, White, Wireless (1).	8 72257 00865 4		
416	Promo9CS	Omni LT Kit with Surface Console - Case of 6	Case of (6) Promo9; Omni LT controller in enclosure, RJ31X jack and cable, Surface Mount Console, manuals, accessory kit. Not sold individually.	8 72257 00083 2		
417	Promo9SCS	Omni LT Kit for Structured Wiring Enclosure - Case of 6	Case of (6) Promo9S; Omni LT controller on mounting plate for Leviton, Ustec and "open house" enclosure, RJ31X jack and cable, Surface Mount Console, manuals, accessory kit. Not sold individually.	8 72257 00123 5		
418	RC-1000BL	Omnistat2 Single Stage Conventional & Heat Pump, Black	Omnistat2 Single Stage Conventional & Heat Pump, Black. Multiple color choice backlight, graphic displays, screen lights up when approached.	8 72257 00416 8	http://homeauto.com/SiteElements/images/press/Omnistat2Black.jpg	http://homeauto.com/downloads/products/omnistat/omnistat2techsheet.pdf
419	RC-1000BLZB	Omnistat2 Single Stage Conventional & Heat Pump, Black, Wireless	Omnistat2 Single Stage Conventional & Heat Pump, Black. Multiple color choice backlight, graphic displays, screen lights up when approached. Uses Zigbee to communicate wirelessly.	8 72257 00475 5	http://homeauto.com/SiteElements/images/press/Omnistat2Black.jpg	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
420	RC-1000SL	Omnistat2 Single Stage Conventional & Heat Pump, Silver	Omnistat2 Single Stage Conventional & Heat Pump, Silver. Multiple color choice backlight, graphic displays, screen lights up when approached.	8 72257 00417 5	http://homeauto.com/SiteElements/images/press/Omnistat2Simplified.jpg	http://homeauto.com/downloads/products/omnistat/omnistat2techsheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
421	RC-1000SLBZ	Omnistat2 Single Stage Conventional & Heat Pump, Silver, Wireless	Omnistat2 Single Stage Conventional & Heat Pump, Silver. Multiple color choice backlight, graphic displays, screen lights up when approached. Uses Zigbee to communicate wirelessly.	8 72257 00486 2	http://homeauto.com/SiteElements/images/press/Omnistat2Simplified.jpg	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
422	RC-1000WH	Omnistat2 Single Stage Conventional & Heat Pump, White	Omnistat2 Single Stage Conventional & Heat Pump, White. Multiple color choice backlight, graphic displays, screen lights up when approached.	8 72257 00418 2	http://homeauto.com/SiteElements/images/press/Omnistat2Advanced.tif	http://homeauto.com/downloads/products/omnistat/omnistat2techsheet.pdf
423	RC-1000WHCS	Omnistat2 Single Stage Conventional & Heat Pump, White, Case of 12	Omnistat2 Single Stage Conventional & Heat Pump, White. Case of 12. Multiple color choice backlight, graphic displays, screen lights up when approached.	8 72257 00491 5	http://homeauto.com/SiteElements/images/press/Omnistat2Advanced.tif	http://homeauto.com/downloads/products/omnistat/omnistat2techsheet.pdf
424	RC-1000WHZB	Omnistat2 Single Stage Conventional & Heat Pump, White, Wireless	Omnistat2 Single Stage Conventional & Heat Pump, White. Multiple color choice backlight, graphic displays, screen lights up when approached. Uses Zigbee to communicate wirelessly.	8 72257 00474 8	http://homeauto.com/SiteElements/images/press/Omnistat2Advanced.tif	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
425	RC-2000BL	Omnistat2 Multistage & Heat Pump with Humidity Control, Black	Omnistat2 Multistage & Heat Pump with Humidity Control, Black. Multiple color choice backlight, graphic displays, screen lights up when approached.	8 72257 00419 9	http://homeauto.com/SiteElements/images/press/Omnistat2Black.jpg	http://homeauto.com/downloads/products/omnistat/omnistat2techsheet.pdf
426	RC-2000BLZB	Omnistat2 Multistage & Heat Pump with Humidity Control, Black, Wireless	Omnistat2 Multistage & Heat Pump with Humidity Control, Black. Multiple color choice backlight, graphic displays, screen lights up when approached. Uses Zigbee to communicate wirelessly.	8 72257 00478 6	http://homeauto.com/SiteElements/images/press/omnistat2Black.jpg	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
427	RC-2000SL	Omnistat2 Multistage & Heat Pump with Humidity Control, Silver	Omnistat2 Multistage & Heat Pump with Humidity Control, Silver. Multiple color choice backlight, graphic displays, screen lights up when approached.	8 72257 00420 5	http://homeauto.com/SiteElements/images/press/Omnistat2Simplified.jpg	http://homeauto.com/downloads/products/omnistat/omnistat2techsheet.pdf

	A	B	C	D	E	F
1	AI Part Num	HAI Part Name	HAI Expanded Description	HAI UPC	Picture	Tech Sheet
428	RC-2000SLZB	Omnistat2 Multistage & Heat Pump with Humidity Control, Silver, Wireless	Omnistat2 Multistage & Heat Pump with Humidity Control, Silver. Multiple color choice backlight, graphic displays, screen lights up when approached. Uses Zigbee to communicate wirelessly.	8 72257 00479 3	http://homeauto.com/ Site Elements/images/press/Omnistat2Simplified.jpg	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
429	RC-2000WH	Omnistat2 Multistage & Heat Pump with Humidity Control, White	Omnistat2 Multistage & Heat Pump with Humidity Control, White. Multiple color choice backlight, graphic displays, screen lights up when approached.	8 72257 00421 2	http://homeauto.com/ Site Elements/images/press/Omnistat2Advanced.tif	http://homeauto.com/downloads/products/omnistat/omnistat2techsheet.pdf
430	RC-2000WHZB	Omnistat2 Multistage & Heat Pump with Humidity Control, White, Wireless	Omnistat2 Multistage & Heat Pump with Humidity Control, White. Multiple color choice backlight, graphic displays, screen lights up when approached. Uses Zigbee to communicate wirelessly.	8 72257 00477 9	http://homeauto.com/ Site Elements/images/press/Omnistat2Advanced.tif	http://homeauto.com/Downloads/Products/Omnistat/ZigBeeTechSheet.pdf
431	SA23	Model Home Support Kit	Laminated Wall Displays and literature articulate the benefits of an HAI automated home.	8 72257 00100 6	http://homeauto.com/ Site Elements/images/press/SA-23.tif	